#### DISTRICT PLAN TEXT AMENDMENTS

#### KEY:

1. Text Amendments as Notified by Council and included in Proposed Plan Change 14

Text in <u>bold red underlined</u> is that from Schedule 3A of the Resource Management Act and must be included.

For the purposes of this plan change any unchanged text is shown as normal text or in bold, any text proposed to be added by the plan change as notified is shown as <u>bold underlined</u> and text to be deleted as <del>bold strikethrough</del>.

Text in green font identifies existing terms defined in *Chapter 2 – Definitions*.

Where the proposed plan change contains a term defined in *Chapter 2 – Definitions*, the term is shown as <u>bold underlined text in green</u> and the wording to be deleted is shown as <u>bold strikethrough in green</u>. New definitions in Chapter 2 and within a provision (including a rule) is shown as <u>bold green text underlined in black</u>.

Text in blue font indicates existing links to other provisions in the District Plan and/or external documents. These will have pop-ups and links, respectively, in the on-line Christchurch District Plan. Where the proposed plan change contains a new link, it is shown as bold underlined text in blue. Where a link is proposed to be deleted, it is shown as beld strikethrough in blue.

2. Changes recommended by the Independent Hearings Panel

The changes recommended by the Independent Hearings Panel are based on Council's 'Reply Provisions' version, which include:

- Text recommended to be added/deleted by proposed PC14
- Text recommended to be added/deleted within s42A reports.
- Text recommended to be added/deleted from expert conferencing/joint witness statements.
- Text recommended to be added/deleted within s42A reports in response to matters raised during Hearings.

Where the Independent Hearings Panel recommends that the proposed PC14 provision be accepted the text is changed to <u>bold underlined</u> for the added text, and changes to <del>bold strikethrough for text to be deleted.</del>

Where the Independent Hearings Panel recommends that green definitions or the blue links to other provisions and/or external documents are accepted they *remain* unchanged.

Changes recommended by the Independent Hearings Panel (including to proposed PC14 provisions, definitions and links) are shown as <u>bold underlined</u> for text in the Council's 'Reply Provisions' that are recommended to be accepted or for additional new text, and <u>bold deleted</u> for text to be deleted (ie the purple and orange colours in the Council's 'Reply Provisions' have been removed).

3. Further Instructions and Explanations for Council

- a. The Panel findings and evaluations with respect to MRZ and HRZ objectives, policies and standards are that those provisions apply only to our Recommended Pathway B and C. To the extent the Reply or submissions apply to Pathway A enablements, the Panel has recommend that the changes are rejected, and the Council reverts to the relevant status quo objectives, policies and standards. The Panel recommendation is for Council to consider the 'Three Pathway' approach. Due to the complex nature of 'unpicking' the provisions that would apply to each pathway, the Residential Medium Density Zone provisions have not been updated with the Panel's recommendations in this regard.
- b. The Residential Medium Density Zone provisions have been updated with the Panel's other recommendations where it is considered that they do not impact on the 'Three Pathway' approach set out in a. above (such as deletion of precincts and qualifying matters, provisions that are more enabling and additions such as the Ravensdown Buffer).
- c. There are no further instructions or explanations.

# 14.5 Rules - Residential Medium Density Residential Zone

## 14.5.1 Activity status tables

## 14.5.1.1 Permitted activities

- a. The activities listed below are permitted activities in the Residential Medium Density

  Residential Zone if they meet the activity specific standards set out in this table, the built form standards in Rule 14.5.2 and the area specific rules in Rule 14.5.3.
- b. Activities may also be permitted controlled, restricted discretionary, discretionary, non-complying or prohibited as specified in Rules 14.5.1.2, 14.5.1.3, 14.5.1.4, 14.5.1.5 and 14.5.1.6, or in the area specific rules in Rule 14.5.3.
- c. Any retirement village activity shall instead be considered under 14.4.1.1 or 14.12.1.1 as they would apply under operative controls as at 16 March 2023.

Activity		Activity specific standards	
P1 Residential activity, excep for residential units containing more than six bedrooms and boarding houses	containing more than six bedrooms and boarding	<ul><li>a. No more than one heavy vehicle shall be stored on the site of the residential activity.</li><li>b. Any motor vehicles and/or boats dismantled, repaired or stored on the site of the residential activity shall be owned by people who live on the same site.</li></ul>	
		c. On sites located within the Riccarton Wastewater Interceptor Overlay, until (date of completion of infrastructure work):	

Activ	ity	Activity specific standards
		<ul> <li>i. the minimum site area for any residential unit shall be 330m².</li> <li>c. There must be no more than 3 residential units per site.</li> <li>d. 14.5.1.1.P1.c does not apply within the Suburban Density</li> </ul>
		Precinct and Suburban Hill Density Precinct.
P2	Student hostels owned or operated by a secondary education activity or tertiary education and research activity containing up to 6 bedrooms	Nil
P3	Conversion of an elderly person's housing unit existing at 6 December 2013 17 March 2023, into a residential unit that may be occupied by any person(s) and without the need to be encumbered by a bond or other appropriate legal instrument	<ul> <li>a. Each converted unit shall have: <ol> <li>a minimum gross floor area, excluding terraces, garages, sundecks and verandahs, of 35m²; and</li> <li>a separate outdoor living space readily accessible from its living area that is at least 30 20m² with a minimum dimension of 3 metres.</li> </ol> </li> <li>b. No other built form standards shall apply where the unit is to be converted without addition or alteration from the building lawfully established as an older person's housing unit.</li> </ul>
P <u>4</u> 3	Home occupation	<ul> <li>a. The total floor area of the building or part of the building (measured internally), plus any outdoor storage area, occupied by the home occupation shall be no more than 40m².</li> <li>b. The maximum number of FTE persons employed in the home occupation, who reside permanently elsewhere than on the site, shall be two.</li> <li>c. Any retail activity shall be limited to; <ol> <li>i. the sale of goods grown or produced on the site;</li> <li>ii. goods incidental to an on-site service provided by the home occupation where the goods storage and/or display occupies no more than 1m² of floor area; or</li> <li>iii. internet-based sales where no customer visits occur; and</li> <li>iv. retail activity shall exclude food and beverage outlets.</li> <li>d. Manufacturing, altering, repairing, dismantling or processing of any materials, goods or articles shall be carried out in a fully enclosed building.</li> <li>e. The hours of operation, when the site is open to visitors, clients, and deliveries, shall be limited to between the hours of: <ol> <li>i. 07:00 - 21:00 Monday to Friday; and</li> <li>ii. 08:00 - 19:00 Saturday, Sunday and public holidays.</li> </ol> </li> </ol></li></ul>

Activity		Activity specific standards			
		<ul> <li>f. Visitor, courier vehicles and staff parking areas shall be within the net site area of the property and outside the road boundary setback.</li> <li>g. Vehicle movements associated with the home occupation shall not exceed: <ul> <li>i. heavy vehicles: 2 per week; and</li> <li>ii. other vehicles: 16 per day.</li> </ul> </li> <li>h. Signage shall be limited to a maximum area of 0.5m².</li> </ul>			
P <u>5</u> 4	Care of non-resident children within a residential unit in return for monetary payment to the carer	<ul> <li>a. There shall be:</li> <li>i. a maximum of four non-resident children being cared for in return for monetary payment to the carer at any one time; and</li> <li>ii. at least one carer residing permanently within the residential unit.</li> </ul>			
P6	(Deleted as part of Plan Change 4 Council decision dated 31 March 2022)				
P <u>7</u> 5	Education activity	a. Th	ne activity shall:		
P <u>8</u> 6	Preschools, other than as provided for in Rule 14.5.1.1 P <u>54</u> .  Health care facility	i.	entrance to a mir	es with frontage and the primary nor arterial road or collector road offset, either informal or formal, is	
1 2/	Thousand rucinty	ii. only occupy a gross floor area of building of less than 200m <sup>2</sup> ; or in the case of a health care facility, less than 300m <sup>2</sup> ;			
P <u>10</u> 8	Veterinary care facility	iii. iv.	limit the hours of	rertising to a maximum area of 2m <sup>2</sup> ; operation when the site is open to , patients, clients, and deliveries to	
P <u>11</u>	Place of assembly		A. Education activity	I. 07:00 – 21:00 Monday to Saturday; and II. Closed Sunday and public holidays.	
			B.Preschools	I. 07:00 – 21:00 Monday to Friday, and II. 07:00 – 13:00 Saturday, Sunday and public holidays.	
			C. Health care facility	I. 07:00 – 21:00.	

Activity		Activity specific standards		
			D.Veterinary care facility	
			E.Places of assembly	
		V.	in relation to preschools, limit outdoor play areas and facilities to those that meet Rule 6.1.5.2.1 Table 1: Zone noise limits outside the Central City;	
		vi.	in relation to preschools, veterinary care facilities and places of assembly (See Figure 1.):	
			A. only locate on sites where any residential activity on an adjoining front site, or front site separated by an access, with frontage to the same road is left with at least one residential neighbour. That neighbour shall be on an adjoining front site, or front site separated by an access, and have frontage to the same road; and	
		B. only locate on residential blocks where there no more than two non-residential activities already within that block;		
		vii.	in relation to veterinary care facilities, limit the boarding of animals on the site to a maximum of four;	
		viii	in relation to places of assembly, entertainment activities shall be closed Sunday and public holidays; and	
	10	ix	not include the storage of more than one heavy vehicle on the site of the activity.	
P <u>12</u>	Community corrections	a. The	e facilities shall:	
P <u>13</u>	facilities  Community welfare facilities	i.	limit the hours of operation when the site is open to clients and deliveries to between the hours of 07:00 – 19:00; and	
		ii.	limit signage to a maximum area of 2m <sup>2</sup> .	
P <u>14</u>	Spiritual activities	a. The	e activity shall:	
<del>12</del>		i.	limit the hours of operation to 07:00-22:00; and	
		ii.	not include the storage of more than one heavy vehicle on the site of the activity.	
P <u>15</u>	Emergency services facilities	Nil		

#### Activity

# P<u>16</u>

Repair or rebuild of multiunit residential complexes damaged by the Canterbury earthquakes of 2010 and 2011 on properties with cross leases, company leases or unit titles as at the date of the earthquakes

#### Activity specific standards

- a. Where the repair or rebuild of a building will not alter the building footprint-building footprint, location, or height, the building need not meet the built form standards.
- b. Where the <u>building footprint</u>, location, or height is to be altered no more than necessary in order to comply with legal or regulatory requirements or the advice of a suitably qualified and experienced chartered engineer:
  - the only built form standards that shall apply are those specified in Rules 14.5.2.3 – Building height and 14.5.2.6 – Daylight recession planes Height in relation to boundaries;
  - ii. in relation to the road boundary setback, the repaired or rebuilt building shall have a setback of at least 3 1.5 metres;
  - iii. the standards at (i) and (ii) shall only apply to the extent that the repaired or rebuilt building increases the level of non-compliance with the standard(s) compared to the building that existed at the time of the earthquakes.

#### Advice note:

- 1. Examples of regulatory or legal requirement that may apply include the New Zealand Building Code, Council bylaws, easements, and other rules within this Plan such as the requirements for minimum floor levels in Chapter 5.
- c. If paragraphs a. and b. do not apply, the relevant built form standards apply.
- d. Any application arising from not meeting standards a. and b.i. shall not be publicly notified, and may be limited notified to adjoining property owners (where the consent authority considers this is required, and absent written approval). Any application arising from not meeting standard b.ii. (road boundary setbacks), shall not be limited or publicly notified.

# P<u>17</u> <del>15</del>

Temporary lifting or moving of earthquake damaged buildings where the activity does not meet one or more of Rules:

 a. Rule 14.5.2.3 – Building height and maximum number of storeys;

#### a. Buildings shall not be:

i. moved to within 1 metre of an internal boundary and/or within 3 metres of any water body, scheduled tree, listed heritage item, areas listed as Sites of Ecological Significance (in Sub-chapter 9.1), Natural Landscapes, Features or Character (in Sub-chapter 9.2), or Sites of Ngai Tahu Cultural Significance (in Subchapter 9.5), any Council owned structure,

Activity	Activity specific standards
b. Rule 14.5.2.4 – Site Building coverage;  c. Rule 14.5.2.5 – Outdoor living space;  d. Rule 14.5.2.6 – Daylight recession planesHeight in relation to boundary; or  e. Rule 14.5.2.7 – Minimum building setbacks from internal boundaries and railway lines.	<ul> <li>b. The building must be lowered back or moved back to its original position, or a position compliant with the District Plan or consistent with a resource consent, within 12 weeks of the lifting or moving works having first commenced.</li> <li>c. In all cases of a building being moved or lifted, the owners/occupiers of land adjoining the sites shall be informed of the work at least seven days prior to the lift or move of the building occurring. The information provided shall include details of a contact person, details of the lift or move, and the duration of the lift or move.</li> <li>d. The Council's Resource Consents Manager shall be notified of the lifting or moving the building at least seven days prior to the lift or move of the building occurring. The notification must include details of the lift or move,</li> </ul>
P18 Overlay P18	a. The activity shall take place in the existing (20 August 2014)
P <u>18</u> 16.2 Addiction service	Family store within the Salvation Army Addington Overlay.
	Overlay;  ii. provide for a maximum of 19 overnight beds; and  iii. take place in the existing (20 August 2014) addiction services buildings, or in upgraded or replacement buildings that meet the built form standards (Rule 14.5.2).
P <u>18</u> 16.3 Supportive housing	<ul> <li>a. The activity shall:</li> <li>i. only locate within the Salvation Army Addington Overlay;</li> <li>ii. provide for a maximum of 85 residents including those on reintegration programmes, which may be in a</li> </ul>
	mixture of individual and shared housing; and  iii. take place in the existing (20 August 2014) supportive housing buildings, or in upgraded or replacement buildings that meet the built form standards (Rule

Activity		Activity specific standards		
		14.5.2).		
	P1816.4 Offices and meeting rooms for administration, counselling, family meetings, budgeting, education or training and worship services on Salvation Army land in Addington (legally described as Rural Section 39449, Lot 23-24 and Part Lot 25 DP 1024, Lot 22 and Part Lot 25 DP 1024, Part Lot 21 DP 1024, and Part Lot 21 and Part Lot 25 DP 1024).	a. The activity shall take place in the existing (20 August 2014) buildings, or in upgraded or replacement buildings that meet the built form standards (Rule 14.5.2).		
P <u>19</u>	a. The use of the existing control tower buildings (Lot 357 DP 447629) and hangars 4 and 5 (Lot 315 DP 434068) for the following activities:  i. Residential activities;  ii. Preschools;  iii. Health care facility;  iv. Education activity;  v. Place of assembly;  vi. Retail activity;  vii. Office; or  viii. Warehouse activity	<ul> <li>a. The maximum gross floor area of retail activity shall be 1500m².</li> <li>b. Heavy vehicle movements associated with any warehouse activity shall be limited to the hours of 07:00 to 19:00.</li> </ul>		
P <u>20</u>	Relocation of a building	Nil		
P <u>21</u> <del>19</del>	Market gardens, community gardens, and garden allotments			
P <u>22</u> <del>20</del>	Hosted visitor accommodation	<ul><li>a. A maximum of eight guests shall be accommodated at any one time.</li><li>b. The Council shall be notified in writing prior to commencement.</li></ul>		

Activ	ity	Activ	vity specific standards
		C.	The owner of the unit shall keep records of the number of nights it is used for hosted visitor accommodation per year from the date Council are notified of commencement, and provide those records to the Council on request.
P <u>23</u>	Visitor accommodation in a heritage item where a	a.	A maximum of ten guests shall be accommodated at any one time.
	permanent resident or manager / supervisor is in residence on the site for	b.	The Council shall be notified in writing prior to commencement.
	the duration of any visitors' stay.	C.	The owner of the heritage item shall keep records of the number of nights it is used for visitor accommodation and provide those records to the Council on request.
P24	Visitor accommodation in a heritage item where a permanent resident or	a. b.	A maximum of 10 guests shall be accommodated at any one time.  The number of nights a site is used for visitor
	manager / supervisor is not in residence on the site	C.	accommodation shall not exceed 60 per year calculated from when Council are notified of commencement.  The Council shall be notified in writing prior to
	for the duration of any visitors' stay	d.	commencement. The owner of the heritage item shall: i. keep records of the number of nights it is used
		5	for visitor accommodation and provide those records to the Council on request; ii. provide up-to-date contact information of a local person and/or organisation responsible for managing the property and responding to complaints, to all owners and occupiers of adjoining sites, on commencement, on request, or annually if not requested; and
	RATIO		iii. ensure guests are provided clear instructions including maps/diagrams/photos/signs for check-in procedures, building access and parking arrangements, constraints on the use of outdoor areas, rubbish and recycling procedures, controls on functions and events, any relevant hazards and safety procedures, prior to arrival, and within the unit.
		e.	There shall be a maximum of 16 vehicle movements per day associated with visitor accommodation.
		f. g.	Guests shall not hold functions or events where the number of additional attendees exceed the number of paying guests between 22.00pm and 07:00am.  Guest activities shall meet daytime and night time noise
P25	Unhosted visitor accommodation	a.	limits in Rule <u>6.1.5.2.1</u> and Rule <u>6.1.5.2.2</u> .  A maximum of eight guests shall be accommodated at any one time.

Activity	Activity specific standards
	<ul> <li>b. The number of nights a site is used for unhosted visitor accommodation shall not exceed 60 per year calculated from when Council are notified of commencement.</li> <li>c. The Council shall be notified in writing prior to commencement.</li> <li>d. The owner of the unit shall: <ol> <li>i. keep records of the number of nights it is used for unhosted visitor accommodation and provide those records to the Council on request;</li> <li>ii. provide up-to-date contact information of a local person and/or organisation responsible for managing the property and responding to complaints, to all owners and occupiers of adjoining sites, on commencement, on request, or annually if not requested; and</li> <li>iii. ensure guests are provided clear instructions including maps/diagrams/photos/signs for check-in procedures, building access and parking arrangements, constraints on the use of outdoor areas, rubbish and recycling procedures, controls on functions and events, any relevant hazards and safety procedures, prior to arrival, and within the unit.</li> <li>e. There shall be a maximum of 16 vehicle movements per day associated with unhosted visitor accommodation.</li> <li>f. Guests shall not hold functions or events where the number of additional attendees exceed the number of paying guests between 22.00pm and 07:00am.</li> <li>g. Guest activities shall meet daytime and night time noise</li> </ol> </li> </ul>
P26 Retirement villages	<ul> <li>limits in Rule <u>6.1.5.2.1</u> and Rule <u>6.1.5.2.2</u>.</li> <li>a. All buildings shall be a maximum of 8 metres in height above ground level; and</li> <li>b. All buildings shall comply with Rule 14.5.2.19 Building length.</li> </ul>




Figure 1: Residential coherence

## 14.5.1.2 Controlled activities

- a. The activities listed below are controlled activities. There are no controlled activities.
- b. Unless otherwise specified, any application arising from the controlled activity rules listed below shall not be limited or publicly notified.

- c. Discretion to impose conditions is restricted to the matters over which control is reserved in Rule 14.153, as set out in the following table.
- d. Any retirement village activity shall instead be considered under 14.4.1.2 or 14.12.1.2 as they would apply under operative controls as at 16 March 2023.

Activit	ty	The matters over which Council reserves its control:
<del>C1</del>	Residential units (including any sleepouts) containing more than six bedrooms in total	<ul> <li>a. Scale and nature of activity—Rule 14.15.5</li> <li>b. Traffic generation and access safety— Rule 14.15.6</li> </ul>
<del>C2</del>	Activities that do not comply with Rule  14.5.2.2 — Tree and garden planting	a. Street scene – road boundary building setback, fencing and planting – Rule 14.15.17
<del>C3</del>	Activities and buildings that do not meet Rule 14.5.2.11—Building overhangs	a. Residential design principles – Rule 14.15.1 d. and e only.
<del>C4</del>	Residential units that do not meet Rule 14.5.2.13—Ground floor habitable space	a. Residential design principles – Rule 14.15.1 d. and e only.
<del>C5</del>	Residential units that do not meet Rule 14.5.2.14 — Service, storage and waste management spaces	a. Service, storage and waste management spaces—Rule 14.15.19
<del>C6</del>	(Deleted by Plan Change 4 Consent Order dated 24 July 2023)	
<del>C7</del>	(Deleted by Plan Change 4 Consent Order dated 24 July 2023)	

# 14.5.1.3 Restricted discretionary activities

- a. The activities listed below are restricted discretionary activities.
- b. Discretion to grant or decline consent and impose conditions is restricted to the matters of discretion set out in Rule 14.15, or as specified, as set out in the following table.
- c. Any retirement village activity shall instead be considered under 14.4.1.3 or 14.12.1.3 as they would apply under operative controls as at 16 March 2023.

Activity		The Council's discretion shall be limited to the following matters:
RD1	<ul> <li>a. Except for retirement villages, ‡the erection of new buildings and alterations or additions to existing buildings including all accessory buildings, fences and walls associated with that development, that result in:         <ol> <li>three four or more residential units; or</li> <li>one or two residential units on a site</li> </ol> </li> </ul>	<ul> <li>a. Residential design principles – Rule 14.15.1</li> <li>b. Minimum unit size and unit mix – Rule 14.15.4</li> </ul>
	smaller than 300m² gross site area (prior to subdivision); or	5
	iii. one or two residential units resulting in residential floor area greater than 500m²; or	
	iv.— <u>ii.</u> over 40m² of a building used for <del>other</del> non-residential activities, on a site.	
	b. Except (until date of completion of the infrastructure work) on any site located within the Riccarton Wastewater Interceptor Overlay.	
	be. Any application arising from this a.ii. of this rule shall not be limited or publicly notified.	
	c. Any application arising from a.i. of this rule shall not be limited or publicly notified where compliant with the following built form standards:	
	i. 14.5.2.2 – Landscaped area and tree canopy cover	
	<ul><li>ii. 14.5.2.3 – Building height and maximum number of storeys</li><li>iii. 14.5.2.4 – Building coverage</li></ul>	
	<ul> <li>iv. 14.5.2.5 – Outdoor living space</li> <li>v. 14.5.2.6 – Height in relation to boundary</li> </ul>	
	vi. 14.5.2.7 – Minimum building setbacks vii. 14.5.2.8 – Outlook space per unit	
	viii. 14.5.2.10 – Windows to street	
RD2	Retirement villages which do not comply with one or more of the activity specific standards in Rule 14.5.1.1 P26.	a. Retirement villages – Rule 14.15.910
RD3	Boarding house	a. Scale and nature of activity – Rule 14.15.56
		b. Traffic generation and access safety – Rule 14.15.67

Activity		The Council's discretion shall be limited to the following matters:
RD4	Student hostels owned or operated by a secondary education activity or tertiary education and research activity containing 7 to 9 bedrooms	a. Scale and nature of activity – Rule 14.15.56
RD5	<ul> <li>a. Convenience activities where: <ol> <li>i. the site is located on the corner of a minor arterial road;</li> <li>ii. the total area occupied by retailing on the site is no more than 50m² public floor area;</li> <li>iii. the activity does not include the sale of alcohol;</li> <li>iv. outdoor advertising is limited to no more than 2m² and shall be within the road boundary setback;</li> <li>v. the hours of operation when the site is open to business visitors or clients are limited to between the hours of 07:00 – 22:00 Monday to Sunday and public holidays; and</li> <li>vi. there is no provision of on-site parking area for visitors or service purposes.</li> </ol> </li> </ul>	<ul> <li>a. Residential design principles – Rule 14.15.1</li> <li>b. Scale and nature of activity – Rule 14.15.56</li> <li>c. Non-residential hours of operation – Rule 14.15.245</li> <li>d. Traffic generation and access safety – Rule 14.15.67</li> </ul>
RD6	Retail activity with frontage only to public access ways identified in Sumner Master plan Overlay (Appendix 14.15.6)	a. Urban design - Rule 15.134.1.a.viii only
RD7	<ul> <li>a. Integrated Family Health Centres where: <ol> <li>i. the centre is located</li> <li>on sites with frontage and the primary entrance to a minor arterial road or collector road where right turn offset, either informal or formal is available;</li> <li>ii. the centre is located on sites adjoining a Neighbourhood Local centre, District Town centre or Key activity centre;</li> <li>iii. the centre occupies a gross floor area of building of between 301m² and 700m²;</li> <li>iv. outdoor advertising signage is limited to a maximum area of 2m²; and</li> <li>v. the hours of operation when the site is open to patients, or clients, and deliveries is limited to between the hours of 07:00 - 21:00.</li> </ol> </li> </ul>	<ul> <li>a. Scale and nature of activity – Rule 14.15.56</li> <li>b. Traffic generation and access safety – Rule 14.15.67</li> <li>c. Non-residential hours of operation – Rule 14.15.245</li> </ul>
RD8	a. Activities that do not meet one or more of the activity specific standards in Rule 14.5.1.1	

Activity			The Council's discretion shall be limited to the following matters:
	b.	<ul> <li>(except for P75-P108 standard ix., refer to Rule 14.5.1.4 D2) for:</li> <li>i. P43 Home occupations:  A. that do not meet standard a. and occupy a total area, comprising the floor area of the building or part of the building (measured internally) and any outdoor storage area, no greater than 40% of the GFA of the residential unit, with the GFA calculation excluding detached accessory buildings;  B. that do not meet one or more of standards b. to h.</li> <li>ii. P75 Education activity;</li> <li>iii. P86 Preschools, other than as provided for in Rule 14.5.1.1 P54 and Rule 14.5.1.4 D2;</li> <li>iv. P97 Health care facility; or</li> <li>v. P108 Veterinary care facility.</li> <li>Any application arising from these rules shall not be limited or publicly notified.</li> </ul>	<ul> <li>a. As relevant to the activity specific standard that is not met: <ol> <li>Scale and nature of activity – Rule 14.15.56</li> <li>Traffic generation and access safety – Rule 14.15.67</li> <li>Non-residential hours of operation – Rule 14.15.245</li> </ol> </li> </ul>
RD9	a. b.	Community corrections facilities and community welfare facilities that do not meet one or more of the activity specific standards in Rule 14.5.1.1 P120 or P131.  Any application arising from these rules shall not be limited or publicly notified.	
RD10	a.	<ul> <li>Within the Salvation Army Addington Overlay:</li> <li>i. Provision for overnight beds for addiction services which exceed the maximum number in activity specific standard Rule 14.5.1.1, P186.2 a ii., up to a maximum total of 25 overnight beds.</li> <li>ii. Provision for supportive housing which exceeds the maximum number of residents in activity specific standard Rule 14.5.1.1 P186.3 a ii., up to a maximum total of 100 residents.</li> <li>iii. Any upgrades (including exterior alterations or additions) to buildings existing on the 20 August 2014, or any</li> </ul>	<ul> <li>a. Scale and nature of activity – Rule 14.15.56</li> <li>b. Traffic generation and access safety – Rule 14.15.67</li> </ul>
		replacement buildings for the activities specified in Rule 14.5.1.1 P186.2, P186.3 and P186.4, that do not meet one or more	

Activity		The Council's discretion shall be limited to the following matters:
	of the relevant built form standards Rule 14.5.2.	
RD11	<ul> <li>a. Temporary lifting or moving of earthquake damaged buildings that does not meet the standards in Rule 14.5.1.1 P175.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Relocation of a buildings and temporary lifting or moving of earthquake damaged buildings – Rule 14.15.167
RD12	a. Buildings that do not meet Rule 14.5.2.7(vɨ) relating to rail corridor boundary setbacks b. Any application arising from this rule shall not be publicly notified.	a. Whether the reduced setback from the rail corridor will enable buildings to be maintained without requiring access above, over, or on the rail corridor.  b. Whether the reduced setback will provide for the safe and efficient operation of the rail network.
RD13	<ul> <li>a. Spiritual activities that do not meet the hours of operation in Rule 14.5.1.1 P142.</li> <li>b. Any application arising from this rule shall not be publicly notified and shall be limited notified only to directly abutting land owners and occupiers (absent written approval).</li> </ul>	a. Non-residential hours of operation– Rule 14.15.24 <u>5</u>
RD14	Buildings that do not meet Rule 14.5.2.3 up to a maximum height of 14 metres (unless otherwise provided for in that rule)  a. Buildings that do not meet Rule 14.5.2.3 – Building height and maximum number of storeys (except for Rule 14.5.2.3 (iv)within the Industrial Interface Qualifying Matter Area refer to Rule 14.5.1.4 D11).  b. Any application arising from this rule, for up to three residential units per site, shall not be publicly notified.	a. Impacts on neighbouring property – Rule 14.15.3.a and C.
RD15	<ul> <li>a. Buildings that do not meet Rule 14.5.2.6 –         Daylight recession planes Height in Relation to Boundary.     </li> <li>b. Any application arising from this rule, for up to three residential units per site, shall not be publicly notified.</li> </ul>	<ul> <li>a. Impacts on neighboring property—Rule 14.15.3.a</li> <li>b. a. Height in relation to boundary breaches – Rule 14.15.4</li> </ul>
RD16	<ul> <li>a. Activities and buildings that do not meet Rule</li> <li>14.5.2.4 – Site Building coverage</li> </ul>	a. Site density and site coverage - Rule 14.15.2

Activity		The Council's discretion shall be limited to the following matters:
	b. Any application arising from this rule, for up to three residential units per site, shall not be publicly notified.	
RD17	<ul> <li>a. Buildings that do not meet Rule 14.5.2.7 – Minimum building setbacks internal boundaries and railway lines (other than 14.5.2.7(vi); refer RD12).</li> <li>b. Any application arising from Rule 14.5.2.7 a.i.setback only shall not be publicly or limited notified.</li> <li>b. Any application arising from this rule shall not be publicly notified.</li> <li>c. Any application arising from Rule 14.5.2.7 a.i. front boundary setback only shall not be limited notified.</li> </ul>	<ul> <li>a. Impacts on neighbouring property – Rule 14.15.3.a.</li> <li>b. Minimum building, window and balcony setbacks – Rule 14.15.189 (Akaroa Heritage Area only)</li> </ul>
RD18	Buildings that do not meet Rule 14.5.2.8— Minimum setback and distance to living area windows	
RD1 <del>9</del> 8	<ul> <li>a. Residential units that do not meet 14.5.2.5 – Outdoor living space.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Outdoor living space – Rule 14.15.201
RD20	<ul> <li>a. Buildings that do not meet Rule 14.5.2.9—</li> <li>Road boundary building setback.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Street scene road boundary building setback, fencing and planting Residential fencing –
RD <del>2</del> 1 <u>9</u>	<ul> <li>a. Buildings that do not meet Rule 14.5.2.109 – Street scene amenity and safety – fences Fencing and screening</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	Rule 14.15.1 <del>7</del> 4
RD2 <u>20</u>	<ul> <li>a. Residential units that do not meet Rule 14.5.2.1½ – Minimum unit size.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> <li>a. Minimum unit size and unit mix – Rule 14.15.45</li> </ul>	
RD2 <del>3</del> 1	<ul> <li>a. Residential units that do not meet Rule 14.5.2.145 – Water supply for fire fighting.</li> <li>b. Any application arising from this rule shall not be publicly notified and shall be limited notified only to the New Zealand Fire Service (absent its written approval).</li> </ul>	a. Water supply for fire fighting – Rule 14.15.78

Activity		The Council's discretion shall be limited to the following matters:
RD24 <u>2</u>	Care facility	<ul> <li>a. Scale and nature of activity – Rule 14.15.56</li> <li>b. Traffic generation and access safety – Rule 14.15.67</li> </ul>
RD23	<ul> <li>a. The erection of new residential units and alterations or additions to residential units that do not meet Rule 14.5.2.10 – Windows to street, where:         <ol> <li>i. The standard only is considered for the alteration or addition to an existing residential unit.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ol> </li> </ul>	a. Street-facing glazing – Rule 14.135.23
<u>RD24</u>	<ul> <li>a. Activities that do not meet Rule 14.5.2.2 – Landscaped area and tree canopy cover.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	<u>a. Residential landscaping – Rule 14.15.24</u>
RD25	<ul> <li>a. Residential units that do not meet Rule 14.5.2.13 – Service, storage, and waste management spaces</li> <li>b. Any application arising from this rule shall not be publicly notified.</li> </ul>	a. Service, storage and waste management spaces – Rule 14.15.20
RD26	<ul> <li>a. Any garage or carport residential unit that does not comply with the garage and carport building location standards under Rule 14.5.2.15 – Garaging and carport building location; or</li> <li>b. Any habitable room that does not comply with Rule 14.5.2.12 – Ground floor habitable room.</li> <li>c. Any application arising from this rule shall not</li> </ul>	a. Residential design principles  - Rule 14.15.1.d, 14.15.1.g, and 14.15.1.h
RD27	be limited or publicly notified.  a. New buildings, structures or additions greater than 20 metres in height from ground level that do not result in wind conditions that exceed the following cumulative standards (Gust Equivalent Mean) more than 5% annually at ground level, within 100 metres of the site, based on modelling:  i. 4m/s at the any boundary of any site, if that boundary adjoins public open spaces, private outdoor living spaces, or footpath(s); or	a. Assessment of wind—Rule 14.15.29

Activity		The Council's discretion shall be limited to the following matters:
	ii. 6m/s within any carriageway or car parking areas provided within or outside the site.	
	<u>b.</u> New buildings, structures or additions greater than 20 metres in height that do not result in wind speeds exceeding 15m/s more than 0.3% annually at ground level.	
	<u>c.</u> The requirements of a. and b. shall be demonstrated by a suitably qualified professional.	W.
RD287	<ul> <li>a. Residential units that do not meet Rule 14.5.2.8 – Outlook space per unit.</li> <li>b. Any application arising from this rule, for up to three residential units per site, shall not be publicly notified.</li> </ul>	a. Outlook space occupation – Rule 14.15.22
RD2 <del>98</del>	Residential units that do not meet Rule 14.5.2.16  - Building reflectivity	a. Residential design principles  Rule 14.15.1.i. Hillside and small settlement areas Roof reflectivity – Rule 14.15.4241
RD3029	<ul> <li>a. Activities that do not meet Rule 14.5.2.17 – Location of outdoor mechanical ventilation</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Residential design principles  Rule 14.15.1.d and  14.15.1.e Rule 14.15.18 a. to d., only.
RD310	Any building that does not meet Rule 14.5.2.18  Minimum road boundary setback—Qualifying  Matter City Spine Transport Corridor	<u>a.</u> Residential design principles —Rule_interk
RD31	<ul> <li>a. Buildings that do not comply with 14.5.2.19.a <ul> <li>Building length.</li> </ul> </li> <li>b. Any application arising from these rules shall not be publicly notified.</li> </ul>	a. Residential design principles – Rule 14.15.1.e.
RD32	a. Residential units that do not meet a. or b. under Rule 14.5.2.20 – Residential units within the Industrial interface.	a. Industrial interface – Rule 14.15.43
RD <del>25</del> 33	<ul> <li>a. Hosted visitor accommodation that does not meet activity specific standards in Rule 14.5.1.1 P22 that does not exceed 12 guests per site at any one time.</li> <li>b. Any application arising from this rule shall not be publicly notified but may be limited notified.</li> </ul>	a. Hosted visitor accommodation, visitor accommodation in a heritage item, unhosted visitor accommodation - Rule 14.15.39
RD <del>26</del> 34	a. Visitor accommodation in a heritage item that does not meet activity specific standards in Rule 14.5.1.1. P23 or P24 that does not exceed 20 guests per site at any one time.	

Activity			The Council's discretion shall be limited to the following matters:
	b.	Any application arising from this rule shall not be limited or publicly notified.	
RD <del>27</del> 35	a.	Unhosted visitor accommodation that does not meet activity specific standards in Rule 14.5.1.1 P25 that does not exceed 12 guests per site at any one time.	
	b.	Any application arising from this rule shall not be publicly notified but may be limited notified.	45

# 14.5.1.4 Discretionary activities

a. The activities listed below are discretionary activities.

b. Any retirement village activity shall instead be considered under 14.4.1.3 or 14.12.1.3 as they would apply under operative controls as at 16 March 2023.

Activity		
D1	Any activity not provided for as a permitted, controlled, restricted discretionary, non-complying, or prohibited activity	
D2	a. Activities that do not meet one or more of the activity specific standards in Rule 14.5.1.1 for:	
	i. P1 Residential activity, except P1.c;	
	ii. P3 Conversion of an elderly person's housing unit into a residential unit;	
	iii P <u>5</u> 4 Care of non-resident children in a residential unit;	
	<u>i</u> v. P <u>119</u> Place of assembly; or	
	vi. Storage of more than one heavy vehicle for activities for P75-P108 and P142.	
	vii. P197 The use of the existing control tower building (Lot 357 DP 447629) and hangars 4 and 5 (Lot 315 DP 434068).	
D3	Student hostels owned or operated by a secondary education activity or tertiary education and research activity containing 10 or more bedrooms	
D4	Show homes	
D5	Integrated family health centres which do not meet one of more of the requirements specified in Rule 14.5.1.3 RD7	
D6	a. Redevelopment of brownfield areas for mixed commercial and residential activities on the following sites:	
	i. Deans Avenue (Former Saleyards)	
D7	a. Hosted visitor accommodation that exceeds 12 guests per site at any one time.	

Activit	у	
	b. Any application arising from this rule shall not be publicly notified but may be limited notified.	
D8	a. Visitor accommodation in a heritage item that exceeds 20 guests per site at any one time.	
	b. Any application arising from this rule shall not be publicly notified but may be limited notified	
D9	a. Unhosted visitor accommodation that exceeds 12 guests per site at any one time; and	
	b. Any application arising from this rule shall not be publicly notified but may be limited notified.	
D10	Home occupation with a total area, comprising the floor area of the building or part of the	
	building (measured internally) and any outdoor storage area occupied, greater than 40% of	
	the GFA of the residential unit, with the GFA calculation excluding detached accessory	
	buildings.	
<del>D11</del>	Any building for a residential activity that does not meet Rule 14.5.2.3 (a)(iv) Building	
	height and maximum number of storeys within the Industrial Interface Qualifying Matter	
	Area.	

# 14.5.1.5 Non-complying activities

a. The activities listed below are non-complying activities.

	Activity	
NC1	Activities and buildings that do not meet Rule 14.5.2.3 where the height is over 14 metres (unless otherwise specified in that rule)	
NC <del>2</del> 1	a. Sensitive activities and buildings (excluding accessory buildings associated with an existing activity):	
	<ul> <li>within 12 metres of the centre line of a 110kV or 220kV National Grid transmission line or within 12 metres of the foundation of an associated support structure; or</li> </ul>	
	ii. within 10 metres of the centre line of a 66kV National Grid transmission line or within 10 metres of a foundation of an associated support structure; or	
	b. Fences within 5 metres of a National Grid transmission line support structure foundation.	

#### Activity

c. Any application arising from this rule shall not be publicly notified and shall be limited notified only to Transpower New Zealand Limited (absent its written approval).

#### Advice note:

- 1. The National Grid transmission lines are shown on the planning maps.
- 2. Vegetation to be planted around the National Grid should be selected and/or managed to ensure that it will not result in that vegetation breaching the Electricity (Hazards from Trees) Regulations 2003.
- 3. The New Zealand Electrical Code of Practice for Electrical Safe Distances (NZECP 34:2001) contains restrictions on the location of structures and activities in relation to National Grid transmission lines. Buildings and activity in the vicinity of National Grid transmission lines must comply with NZECP 34:2001.

#### NC<del>3</del>2

- a. Sensitive activities and buildings (excluding accessory buildings associated with an existing activity):
  - i. within 10 metres of the centre line of a 66kV <u>electricity</u> distribution line or within 10 metres of a foundation of an associated support structure; or
  - ii. within 5 metres of the centre line of a 33kV electricity distribution line or within 5 metres of a foundation of an associated support structure; or
  - iii. within 5 metres of the centre line of the 11kV Heathcote to Lyttelton electricity distribution line or within 5 metres of a foundation of an associated support structure.
- b. Fences within 5 metres of a 66kV or 33kV electricity distribution line support structure foundation.
- c. Fences within 5 metres of an 11kV Heathcote to Lyttelton electricity distribution line support structure foundation.
- d. Any application arising from this rule shall not be publicly notified and shall be limited notified only to Orion New Zealand Limited or other electricity distribution network operator (absent written approval).

## Advice note:

- 1. The electricity distribution lines are shown on the planning maps.
- Vegetation to be planted around electricity distribution lines should be selected and/or managed to ensure that it will not result in that vegetation breaching the Electricity (Hazards from Trees) Regulations 2003.

#### NC4<u>3</u>

- a. Visitor accommodation that is not hosted visitor accommodation, unhosted visitor accommodation or visitor accommodation in a heritage item;
- b. Any application arising from this rule shall not be publicly notified but may be limited notified.

Activity			
	NC4	a. Residential units that do not meet d.i or d.ii under Rule 14.5.2.20 – Residential units within the Industrial interface overlay.	

#### 14.5.1.6 Prohibited activities

There are no prohibited activities.

#### 14.5.2 Built form standards

NOTE: Note: of the medium density residential standards (MDRS) are in immediate legal effect as the Council has proposed a sublight access qualifying matter that applies to all of the medium and high density residential zones (see section  $o(2\Delta(1)(c)(ii))$ ) of the Resource Management Act 1991). They will not be in legal effect until after an IHP hearing and recommendation by the IHP to Council on those rules.

NB: This advice note should be removed prior to the sub-chapter becoming operative.

a. The following built form standards shall be met by all permitted activities and restricted discretionary activities RD1, unless otherwise stated.

#### **Advice Notes:**

- 1. There is no spare, or limited, wastewater, storm water, or water supply infrastructure capacity in some areas of Christchurch City which may create difficulties in granting a building consent for some developments. Alternative means of providing for those services may be limited or not available. Compliance with the District Plan does not guarantee that connection to the Council's reticulated infrastructure is available or will be approved. Connection to the Council's reticulated infrastructure requires separate formal approval from the Council. There is a possibility that approval to connect will be declined, or development may trigger the need for infrastructure upgrades or alternative servicing at the developer's cost. Anyone considering development should, at an early stage, seek information on infrastructure capacity from Council's Three Waters Unit. Please contact the Council's Three Waters Unit at Wastewater Capacity@ccc.govt.nz, Water Capacity@ccc.govt.nz and Stormwater. Approvals@ccc.govt.nz.
- 2. Reference should be made to 6.1A for qualifying matters that may apply further restrictions to development.
- 3. Any retirement village activity shall instead be considered under 14.4.2 or 14.12.2 as they would apply under operative controls as at 16 March 2023.

#### 14.5.2.1 Site density and servicing

Advice Notes:

- 1. There is no site density standard in the Residential Medium Density Residential Zone, except as detailed under 14.5.3 Area Specific Standards.
- 2. There is no spare, or limited, wastewater, storm water, or water supply infrastructure capacity in some areas of Christchurch City which may create difficulties in granting a building consent for some developments. Alternative means of providing for those services may be limited or not available. Compliance with the District Plan does not guarantee that connection to the Council's reticulated infrastructure is available or will be approved. Connection to the Council's reticulated infrastructure requires separate formal approval from the Council. There is a possibility that approval to connect will be declined, or development may trigger the need for infrastructure upgrades or alternative servicing at the developer's cost. Anyone considering development should, at an early stage, seek information on infrastructure capacity from Council's Three Waters Unit. Please contact the Council's Three Waters Unit at WastewaterCapacity@ccc.govt.nz, WaterCapacity@ccc.govt.nz and Stormwater.Approvals@ccc.govt.nz.

## 14.5.2.2 Tree and garden planting Landscaped area and tree canopy cover

- a. A <u>residential unit</u> at ground floor level must have a landscaped area of a minimum of 20% of a <u>developed site</u> with grass or plants, and can include the canopy of trees regardless of the ground treatment below them.
- b. The landscaped area may be located on any part of the development <u>site</u>, and does not need to be associated with each <u>residential unit</u>.

#### Advice note:

- c. In addition to these rules, the tree canopy cover and financial contributions requirements in Chapter 6.10A apply to residential development in residential zones resulting in one or more residential units, except where (c) or (d) applies.
- c. For single and/or multi residential unit developments, a minimum tree canopy cover of 20% of the development site area must be provided in accordance with the Chapter 6.10A rules. The tree canopy cover planting area may be combined with the landscaping area in whole or in part, may be located on any part of the development site, and does not have to be associated with each residential unit.
- d. An additional tree canopy cover equivalent to 15% of the road corridor area must be provided in the road corridor in a new greenfield residential subdivision and/or development, or a brownfield site subject to comprehensive residential development where new roads have been / will be created, as specified in the Chapter 6.10A rules.
- e. Where the tree canopy cover area is not achieved in full or in part through retaining existing trees and/or planting new trees, the remaining tree canopy cover requirement will be subject to the payment of financial contributions in lieu of tree planting, as specified in the Chapter 6.10A rules.
- <u>d. a.</u> <u>All other Ssites</u> shall include the minimum tree and garden planting as set out in the below table:

	For all <u>non-residential</u> activities, except permitted commercial activities in the Sumner Master plan Overlay	
i.	a. A minimum of 20% of the site shall be provided for landscaping (which may include private or communal open space), where	
	i. at least 50% of the landscaping shall be trees and shrubs, and	
	ii. a minimum of one tree for every 250m² of gross site area (prior to subdivision), or part thereof, is included within the landscaping, and	
	iii. at least one tree shall be planted adjacent to the road boundary.	
b. All trees required by this rule shall be not less than 1.5 metres high at planting.		
	c. All trees and landscaping required by this rule shall be maintained and if dead, diseased or damaged, shall be replaced.	
	d. For multi-unit residential complexes, social housing complexes, retirement villages, and groups of older person's housing units, the minimum tree and garden planting requirements shall be determined over the site of the entire complex.	
ii.	In the Salvation Army Addington Overlay – a landscape and planting plan be prepared with a method of implementation and maintenance for the full site area. This plan shall be implemented within two growing seasons of its approval and thereafter maintained. Attention shall be paid to that area 4 metres from the boundary with each road and around the stream to enhance the area, create restful space and encourage bird life.	

d. Retirement villages are exempt from this rule, except in accordance with 14.12.2, in accordance with the advice note under 14.5.2 and associated controls.

# 14.5.2.3 Building height and maximum number of storeys

a. The maximum height of any building shall be:

	Activity	Standard
i.	All <u>buildings</u> in areas not listed below	11 metres provided there is a maximum of 3 storeys
		<u>Unless b. applies</u> , <u>buildings must not exceed 11</u> metres in <u>height above ground level</u> , except that 50% of a <u>building's</u> roof in elevation, measured vertically from the junction between wall and roof, may exceed this <u>height</u> by 1 metre, where the entire roof slopes 15° or more, as shown on the following diagram:

	Activity	Standard
		11m 11m 10m
		<u>b.</u> Within the Local Centre Intensification Precinct, buildings containing residential units must not exceed 14 metres in height above ground level.
<del>  .</del>	Residential Medium Density Lower Height Limit Overlay	8 metres  a. On sites of 1500 m² or greater, the maximum height of any building shall be 11 metres, with a maximum of three storeys, except that:  i. within 10 metres of a site-boundary that directly adjoins the Residential Suburban or Residential Suburban Density Transition Zone, the maximum height shall be 8 metres.
<del>   .</del>	Residential Medium Density Lower Height Limit Overlay at Central Riccarton	8 metres
<del>i∨.</del>	Sumner Residential Medium Density Zone	9.5 metres
₩.	Sumner Master plan Overlay, on the two prominent corners identified in Appendix 14.16.6	<ul> <li>a. 13 metres</li> <li>b. Provided that the area above 9.5 metres is limited to no more than 100m² in gross floor area and is located at the apex of the street corner.</li> </ul>
<del>Vi.</del> ii.	Within the Medium Density Residential Medium Density Zone in the Commercial Local Zone (St Albans) Outline development plan shown as Area A in Chapter 15 Appendix 15.15.5	14 metres

	Activity	Standard
<del>Vii.</del>	Residential Medium Density Higher Height Limit Overlay at Deans Avenue	20 metres
viii.	Residential Medium Density Higher Height Limit Overlay at Carlton Mill Road	30 metres
ix.	Residential Medium Density Higher Height Limit Overlay at New Brighton and North Beach	<ul> <li>a. 14 metres North Beach (area bounded by Marine Parade, Pacific Road, Jutland Street, Cygnet Street, Tonks Street, and Bowhill Road)</li> <li>b. 20 metres Central New Brighton</li> </ul>
X.	All Residential Medium Density Height Limit Overlays (other than at Carlton Mill Road)	Any-building shall not exceed 5 storeys above ground level
<del>Xİ.</del>	In the Salvation Army Addington Overlay	11 metres
<u>iii.</u>	All buildings on the Woolston Fire Station and Training Centre site at 929 Ferry Road, Lot 1 DP72727.	20 metres
iv.	Buildings for a residential activity within the Industrial Interface Qualifying Matter Area	7-8 metres or two storeys, whichever is the lesser
iv.	Buildings within the Riccarton Bush Interface Area Emergency service facilities operated by Fire and Emergency New Zealand.	8 metres  14 metres

#### Advice note:

1. See the permitted height exceptions contained within the definition of height.

# 14.5.2.4 Site Building coverage

- a. The maximum-percentage of the <u>building coverage must not exceed</u> net site area covered by <u>buildings shall be</u> 50% of the net site area.
- <u>b.</u> For multi-unit residential complexes, social housing complexes, retirement villages and groups of older person's housing units, the percentage coverage by <u>buildings</u> coverage <u>shall</u> be calculated over the net site area of the entire complex or development site group, rather than over the net area of any part of the complex or group.

<u>cb.</u> Eaves and roof overhangs <u>up to 300mm in width</u> and guttering up to 650mm in total <u>cumulative width from the wall of a building shall not be included in the building coverage</u> calculation.

# 14.5.2.5 Outdoor living space

- a. <u>A residential unit</u> at ground floor level must have an <u>outdoor living space</u> that is at least 20 <u>square metres</u> and that comprises ground floor, balcony, patio, or roof terrace space that,
  - i. where located at ground level, has no dimension less than 3 metres; and
  - ii. where provided in the form of a balcony, patio, or roof terrace, is at least 8 square metres and has a minimum dimension of 1.8 metres; and
  - iii. is accessible from the residential unit; and
  - iv. may be
    - A. grouped cumulatively by area in 1 communally accessible location; or
    - B. <u>located directly adjacent to the unit.</u>
  - v. <u>is free of buildings, parking spaces, and servicing and manoeuvring areas.</u>
- b. <u>A residential unit located above ground floor level must have an outdoor living space in the form of a balcony, patio, or roof terrace that—</u>
  - i. is at least 8 square metres and has a minimum dimension of 1.8 metres; and
  - ii. is accessible from the residential unit; and
  - iii. may be
    - A. <u>grouped cumulatively by area in one communally accessible location, in which case it may be located at ground level; or</u>
    - B. located directly adjacent to the unit.
- a. For residential units with two or more bedrooms outdoor living space shall be provided on site for each residential unit, and shall not be occupied by parking areas or access. The required outdoor living space shall be within the following dimensions:

Į.	Minimum total area for each residential unit	<del>30m²</del>
ii.	Minimum private area	<del>16m²</del>
<del>iii.</del>	Minimum dimension private area when	4 metres
	provided at ground level	
i∨.	Minimum dimension private area when	1.5 metres
	provided by a balcony	
₩.	Minimum dimension of communal space	4 metres
<del>∨i.</del>	Accessibility-of communal space	Accessible by all units
<del>∨ii.</del>	General accessibility for each residential unit	At least one private outdoor
		living space shall be

		accessible from a living area of a residential unit
<del>Viii.</del>	Minimum required outdoor living space at ground level for entire site	<del>50%</del>

- The outdoor living space can be in a mix of private or communal areas at the ground level or in balconies.
- c. For one bedroom units or studios on the ground floor outdoor living space shall be provided, and shall not be occupied by parking areas or access, within the following dimensions:

<del>i.</del>	Minimum total private area for each	<del>16m²</del>
	residential unit	
<del>ii.</del>	Minimum dimension private area when	4 metres
	provided at ground level	

<u>c.d.</u> For one bedroom units <u>exceeding 45m<sup>2</sup> in net floor area</u> or studios <u>exceeding 35m<sup>2</sup> in net floor area</u> entirely at an upper level, <u>outdoor living space</u> shall be provided within the following dimensions. The required outdoor living space can be in a mix of private and communal areas, at the ground level or in balconies within the following dimensions:

<del>į.</del>	Minimum total private area for each	<del>16m²</del>
	residential unit	
i∔.	Minimum private balcony dimensions	A. 6m <sup>2</sup> area
		B. 1.5 metres dimension

- <u>d.e.</u> In the Salvation Army Addington Overlay the <u>outdoor living space</u> shall be communal and shall be based on 10m<sup>2</sup> per <u>residential unit</u>.
- e.f. This rule does not apply to residential units in a retirement village.
- g. Within the Local Centre Intensification Precinct, for residential studio units with an internal floor area exceeding 35m<sup>2</sup>, or single bedroom units with an internal floor area exceeding 45m<sup>2</sup>, the following outdoor living space areas shall apply:
  - <u>i.</u> 15m<sup>2</sup> for residential units on ground floor, with a minimum dimension of 3 metres;
  - <u>ii.</u> 6m<sup>2</sup> for residential units above ground floor, with a minimum dimension of 1.5 metres for balconies, patios or roof terraces.

#### 14.5.2.6 Daylight recession planes Height in relation to boundary

a. No part of any building shall project beyond a building envelope constructed by recession planes shown in Appendix 14.16.2 diagram D from points 3m, or 4m where specified on the diagram, above ground level along all boundaries where the boundary forms part of a legal right of way, entrance strip, access site, or pedestrian access way, the height in relation to boundary applies from the farthest boundary of that legal right of way, entrance strip, access site, or pedestrian access way.

- **b.** This standard does not apply to
  - i. a boundary with a road:
  - ii. existing or proposed internal boundaries within a site:
  - iii. <u>site boundaries where there is an existing common wall between 2 buildings on adjacent sites or where a common wall is proposed:</u>
  - iv. within the Local Centre Intensification Precinct:
    - A. the construction of three or more residential units of a maximum of 14 metres in height from ground level, to any part of a building:
      - 1. along the first 20 metres of a side boundary measured from the road boundary; or
      - 2. within 60% of the site depth, measured from the road boundary, whichever is lesser. For corner sites, depth is measured from the internal boundaries, that are perpendicular to the road boundary. See Figure 1, below.
      - except where the boundary is with a site in a residential zone other than HRZ, or an Open Space zone, where iv. A and B shall not apply.
    - B. for any part of a building above 12m in height, the recession plane under a. shall apply, unless that part of the building above 12m in height is set back from the relevant boundary of a development site as set out below:
      - 1. northern boundary: 6 metres;
      - 2. southern boundary: 8 metres; and
      - 3. eastern and western boundaries: 7 metres

where the boundary orientation is as identified in Appendix 14.16.2 Diagram D, in which case there shall be no recession plane requirement for that part of the building above 12m in height.

- v. Where related to a retirement village, shall only apply to the perimeter boundary of the site or development site for the retirement village.
- a. Buildings, shall not project beyond a building envelope constructed by recession planes, as shown in, Appendix 14.16.2 diagram C, from points 2.3 metres above:
  - i. ground level at the internal boundaries; or
  - ii. where an internal boundary of a site abuts an access lot or access strip the recession plane may be constructed from points 2.3 metres above ground level at the furthest boundary of the access lot or access strip or any combination of these areas; or
  - iii. where buildings on adjoining sites have a common wall along an internal boundary the recession planes shall not apply along that part of the boundary covered by such a wall.

- b. Where the building is located in an overlay that has a permitted height of 11 metres or more, the recession plane measurement shall commence from points 2.3 metres above ground level at the internal boundaries and continue on the appropriate angle to points 11 metres above ground level, at which point the recession plane becomes vertical.
- c. Where the building is located in a Flood Management Area, the exemptions in Rule 5.4.1.3 apply (for activities P1-P4 in Table 5.4.1.1b).

#### d. Except that:

- i. In the Residential Medium Density Zone Higher Height Limit Overlay, the recession plane shall be as shown in Appendix 14.16.2 diagram D, unless the height of the building is greater than 11 metres, in which case refer to diagram E.
- ii. In the Residential Medium Density Lower Height Limit Overlay, the recession plane shall be as shown in Appendix 14.16.2 diagram B.

#### Advice note:

- 1. Refer to Appendix 14.16.2 for permitted intrusions.
- 1. Applicable height in relation to boundary planes are shown in Appendix 14.16.2.




Figure 1: Application of height in relation to boundary exemption in Local Centres Intensification Precinct (14.5.2.6.b.iv)

# 14.5.2.7 Minimum building setbacks from internal boundaries and railway lines

a. The minimum building setback from internal boundaries shall be:

	Activity / area	Standard
i.	All <u>buildings</u> not listed below	1 metre  Buildings must be set back from the relevant boundary by the minimum depth listed in the yards table below:
		Front: 1.5 metres  Side: 1 metre  Rear: 1 metre (excluded on corner sites)  A porch, being a predominantly un-enclosed 1-storey ground level lean-to roofed structure only, with a maximum width of 1.2 metres may intrude into the front boundary setback by a maximum of 800mm.
<del>II.</del>	Where residential buildings on adjoining sites have a ground floor window of a habitable space located within 1 metre of the common internal boundary	1.8 metres from that neighbouring window for a minimum length of 2 metres either side of the window refer diagram below.  This rule also applies to accessory buildings.
<u>ii.</u>	Where there is an existing common wall between 2 buildings on adjacent sites or where a common wall is proposed.	<u>Nil</u>
<u>iii.</u>	Eaves and roof overhangs and guttering.	Only road boundary: Eaves and roof, overhangs, and guttering to a maximum of \$6500mm in width measured from the wall of a building and guttering up to 200mm in width
iv.	All other accessory buildings accessory buildings, and/or garages that internally access a residential unit. where the total length of walls or parts of the accessory buildings within 1 metre of each internal boundary does not exceed 10.1 metres in length.	Nil Only for side and rear boundaries: no required setback where the building/s shall:

	Activity / area	Standard
		A. be no greater than 3 metres in height above ground level; and
		B. Have a total cumulative length that does not exceed 10.1m per boundary
<del>i∨.</del>	Buildings that share a common wall along an internal boundary	Nii
₩.	All other buildings where the internal boundary of the site adjoins an access or part of an access	<del>1 metre</del>
<del>∨i.</del> <u>∨.</u>	Buildings, balconies and decks on sites adjacent to or abutting a designated rail corridor	4 metres from the rail corridor boundary
<u>vi.</u>	Retirement villages	Setbacks under a.i only apply to the perimeter boundary of the site or development site for the retirement village.

 For the purposes of this rule this excludes guttering up to 200mm in width from the wall of a building.




Figure 11: Separation from neighbours

## Advice note:

1. This diagram is an illustrative example only, showing one way the rule may be applied (Refer to full rule for application of 1.8 metres separation).

1. <u>Building setback requirements are further controlled by the Building Code. This includes the provision for firefighter access to buildings and egress from buildings. Plan users should refer to the applicable controls within the Building Code to ensure compliance can be achieved at the building consent stage. Issuance of a resource consent does not imply that waivers of Building Code requirements will be considered/granted.</u>

# 14.5.2.8 Minimum setback for balconies and living space windows from internal boundaries

- a. The minimum setback from an internal boundary for balconies shall be 4 metres.
- b. Where a wall of a residential unit is located between 1 metre and 4 metres from an internal boundary, any living space window located on this wall at first floor level and above shall only contain glazing that is permanently obscured.
- c. For a retirement village, this rule only applies to the internal boundaries of the site of the entire retirement village.
- d. This rule shall not apply to a window at an angle of 90 degrees or greater to the boundary.
- e. For the purposes of this rule, permanently obscured glazing does not include glazing obscured by applied means such as film or paint.

#### Advice note:

1. See sill height in the definition of window.

## 14.5.2.9 Road boundary building setback

a. The minimum road boundary garage and building setback shall be:

	Building type and situations	Standard
<del>i.</del>	For all buildings and situations not listed below	<del>2 metres</del>
#-	Where a garage has a vehicle door that does not tilt or swing outwards facing a road	4.5 metres
##.	Where a garage has a vehicle door that tilts or swings outward facing a road	5.5 metres
<del>i∨.</del>	Where a garage has a vehicle door that does not tilt or swing outward facing a shared access way	7 metres measured from the garage door to the furthest formed edge of the adjacent shared access.
₩.	Where a garage has a vehicle door that tilts or swings outward facing a shared access way	8 metres measured from the garage door the furthest formed edge of the adjacent shared access.

#### b. Habitable space front façade

- i. For residential units fronting roads; garages, and other accessory buildings (excluding basement parking area and swimming pools) shall be located at least 1.2 metres further from the road boundary than the front façade of any ground level habitable space of that residential unit.
- ii. These setback distances apply where garage doors do not tilt or swing outwards.




Figure 7: Street scene and access ways

#### Advice note:

1. This diagram is an illustrative example only, showing one way the rule may be applied in the Residential Medium Density Zone.

## 14.5.2.8 Outlook space per unit

a. An outlook space must be provided for each residential unit as specified in this clause.

<u>b.</u> An outlook space must be provided from <u>habitable room windows</u> as shown in the diagram (Figure 2) below:




Figure 2: Outlook space

- c. The minimum dimensions for a required outlook space are as follows:
  - i. a principal living room must have an outlook space with a minimum dimension of 4 metres in depth and 4 metres in width; and
  - ii. <u>all other habitable rooms</u> must have an outlook space with a minimum dimension of 1 metre in depth and 1 metre in width.
- d. The width of the outlook space is measured from the centre point of the largest window on the building face to which it applies.
- e. Outlook spaces may be over driveways and footpaths within the <u>site</u> or over a public street or other public open space.
- <u>f.</u> <u>Outlook spaces may overlap where they are on the same wall plane in the case of a multi-</u>storey <u>building</u>.
- g. Outlook spaces may be under or over a balcony.
- h. Outlook spaces required from different rooms within the same <u>building</u> may overlap.
- i. Outlook spaces must—
  - <u>i.</u> <u>be clear and unobstructed by buildings (excluding any doors or windows opening into</u> an outlook space from the <u>principal living room</u> or <u>habitable room</u>); and

- ii. not extend over an outlook space or outdoor living space required by another dwelling.
- j. For retirement villages, a. to i. above shall only apply within 15 metres of the perimeter of a retirement village site or development site and shall only apply to principal living areas of self-contained retirement units or communal living areas.

### 14.5.2.109 Street scene amenity and safety - fences Fencing and screening

a. Any fencing provided shall meet the following standards, being the maximum permitted height:

	Fence location	Fence height standard	
<u>i.</u>	Road boundary – non-arterial road	50% road boundary width (excluding accessways): 1.58m	
		Remaining road boundary width: 1.0m	
<u>ii.</u>	Road boundary – arterial road	50% road boundary width (excluding accessways): 1.8m	
		Remaining road boundary width: 1.0m	
<u>iii.</u>	Side, rear, and internal boundary.	2.0m	
<u>iv.</u>	On the boundary with any land zoned Open Space Community Parks, Open Space Water and Margins and Avon River Precinct/Te Papa Ōtākaro	1.0m; or 2.0m where the whole fence or screening structure is a minimum of 50% visually transparent.	

- b. Any fencing requirements under 14.5.2.1 shall not be in addition to the above standards.
- c. Any fencing under this rule shall be provided on the site boundary or within the applicable front yard setback from the road boundary.
- d. For any retirement village standards under 14.5.2.9.a shall not apply and the following alternative standards apply:
  - i. Fencing along any road boundary with a public road: maximum height of 1.8m, with at least 50% being visually transparent.
- e. Advice note:
  - Additional controls on fence height and/or location may apply refer Chapter 6.6
     (Water Body Setbacks) and Chapter 7 (Transport).
- a. The maximum height of any fence in the setback from a road boundary on a local road shall be:

	Fence type	Standard
÷	Where at least 50% of the fence structure is visually transparent.	1.8 metres

	Fence type	Standard
<del>ii.</del>	Where less than 50% of the fence structure is visually transparent.	<del>1 metre</del>

- b. The maximum height of any fence in the setback from a road boundary on any collector road, or arterial road shall be 1.8 metres.
- c. a. and b. shall not apply to fences or other screening structures located on an internal boundary between two properties zoned residential; or residential and commercial or industrial.
- d. For the purposes of this rule, a fence or other screening structure is not the exterior wall of a building or accessory building.
- e. Parking areas shall be separated from road boundaries, open space, or adjoining residentially zoned sites by fencing that meets the requirements in a. above.






Figure 8: Examples of acceptable fencing and screening structures

## 14.5.2.10 Windows to street

- a. Any residential unit facing the street must have a minimum of 20% of the street-facing facade in glazing. This can be in the form of windows or doors.
- b. For the purpose of this rule:
  - i. the area of a single gable facing the street shall not be included in the calculation of the street facing façade, with the area of the gable as per Figure 3 below, where the internal ceiling height is measured from the highest room:





<u>Figure 3: How to measure street facing gable-Example of different buildings with front</u> gables excluded from calculation

- ii. For <u>buildings</u> associated with a retirement village that contain <u>residential units</u>, the <u>percentage shall be measured across the combined length of all facades facing a public road.</u>
- c. Rule 14.5.2.10 a. and b. shall only apply to the a residential unit(s) with a street-facing facade within 12 metres of:
  - i. a road boundary, and/or;
  - ii. a road designation on the site;

where there are no other residential units with street-facing facades located between the subject residential unit(s) and the road boundary and/or road designation.

d. Where units have a hinged front door facing the street with direct access to a <u>residential</u> unit (excluding a garage), the door may be counted toward the glazing requirement under a., up to a maximum of 2m², regardless of whether it is glazed or not.

- e. <u>The total required glazing for the street-facing façade of that residential unit may be further reduced to 15 47.5</u>% (inclusive of the door area), provided that the residential unit has:
  - i. A hinged front door facing the street that has direct access to the <u>residential unit</u> (but not where this access is directly to a garage) there is at least 1m<sup>2</sup> of clear glazing with a <u>sill height no highter than 1.2m above interior floor level from ground floor of habitable rooms, in addition to any glazing in the hinged front door; and</u>
  - ii. a ground floor habitable room with a transparent glazed window with a minimum area of 1m<sup>2</sup> and a maximum still height of 1.2m (measured from the internal floor level) facing the street at least 20% of the ground floor of the steet facing façade of residential units consist of glazing (inclusive of a hinged the front door as described above).
  - iii. Been located within a <u>building</u> associated with a retirement village, where the <u>prerequisites of i. and ii. are not required to be met.</u>
- f. This rule does not apply within the Suburban Density Precinct or the Suburban Hill Density Precinct.

#### 14.5.2.11 Building overhangs

a. No internal floor area located above ground floor level shall project more than 800mm horizontally beyond the gross floor area at ground level.




Figure 9: Building overhangs

#### Advice note:

1. This diagram is an illustrative example only, showing a way the rule may be applied.

# 14.5.2.<del>12</del>11 Minimum unit size

a. The minimum net floor area (including toilets and bathrooms, but excluding parking areas, garages or balconies) for any <u>residential unit</u> shall be:

	Number of bedrooms	Minimum net floor area
i.	Studio	35m²
ii.	1 bedroom	45m²
iii.	2 bedrooms	60m²

	Number of bedrooms	Minimum net floor area
iv.	3 or more bedrooms	90m²

b. This rule does not apply to residential units in a retirement village.

#### 14.5.2.<del>13</del>12 Ground floor habitable space room

- a. Where the permitted height is 11 metres or less (refer to Rule 14.5.2.3) Any building that includes a residential unit shall:
  - i. where the residential unit fronts a road or public open space, unless built over a separate ground floor residential unit, have a habitable room located at ground floor level with minimum internal dimension of 3 metres. This rule does not apply to any upper-level residential unit that is built over a ground floor residential unit; and
  - ii. <u>any residential unit shall have at least 50% of any ground floor area as habitable room/s.</u>
  - i. any residential unit fronting a road or public open space shall have a habitable space located at the ground level; and
  - ii. at least 50% of all residential units within a development shall have a habitable space located at the ground level; and
  - iii. for each residential unit, at least one habitable space located at the ground level shall have a minimum floor area of 9m<sup>2</sup> and a minimum internal dimension of 3 metres and be internally accessible to the rest of the unit.
- b. Where the permitted height limit is over 11 metres (refer to Rule 14.5.2.3), a minimum of 50% of the ground floor area shall be occupied by habitable spaces and/or indoor communal living space. This area may include pedestrian access to lifts, stairs and foyers.
- c. This rule does not apply to residential units in a retirement village.

#### 14.5.2.<del>14</del>13 Service, storage, and waste management spaces

- a. For multi-unit residential complexes and social housing complexes any development resulting in four or more residential units on a site only:
  - i. each residential unit shall be provided with at least 2.25m<sup>2</sup> with a minimum dimension of 1.25 metres of outdoor or indoor space at ground floor level for the dedicated storage of waste and recycling bins, and where located between a residential unit and the road boundary or pedestrian or vehicle access, bins shall be screened by a solid or slatted fence with a minimum height of 1.2 metres;
  - ii. each ground floor residential unit shall be provided with have at least 3m<sup>2</sup> with a minimum dimension of 1.5 metres of dedicated outdoor space at ground floor level for washing lines. This space shall have a minimum dimension of 1.5 metres; and

- iii. the required spaces in a.i. and/or b.ii. for each residential unit shall be provided either individually, or within a dedicated shared communal space that is the sum of the required individual spaces.
- <u>Each residential unit</u> shall have covered and secure storage areas, (in addition to storage in kitchens, bathrooms, bedrooms, and the space set aside for car parking in garages with a minimum dimension of 600mm, and with a total cumulative volume of:
  - i. 6m³ for one-bed units;
  - ii. 8m3 for two-bedroom units; and
  - <u>iii.</u> 10m³ for three-bedroom or greater units;

with at least 50% of storage provided within the residential unit. The required storage shall be additional to any storage in the kitchen, bathroom/s and/or bedroom/s of the residential unit, and additional to the area dedicated to car parking in any garage which for the purpose of this rule is deemed to be an area 5.5m deep, 3.1m wide and 2.4m high, per garage.

c. This rule shall not apply to <u>residential units</u> within a retirement village.

## 14.5.2.<del>15</del>14 Water supply for fire fighting

- a. Sufficient water supply and access to water supplies for fire fighting shall be made available to all residential units via Council's urban fully reticulated system and in accordance with the New Zealand Fire Service Fire Fighting Water Supplies Code of Practice (SNZ PAS:4509:2008).
- b. Where a reticulated water supply compliant with SNZ PAS:4509:2008 is not available, water supply and access to water supplies for fire fighting that is in compliance with the alternative firefighting water sources provisions of SNZ PAS 4509:2008 must be provided.

# 14.5.2.15 Garaging and carport building location

a. When developing For residential developments units fronting public roads: four or more residential units on a single development site garages, or carports, loading bays or carparking areas shall be located at least 1.2 metres further from the road boundary than behind the front street-facing façade of a that the residential unit.

#### 14.5.2.16 Building reflectivity

a. Within the Residential Hills Precinct, all roof finishes are not to exceed 30% light reflectance value (LRV).

#### 14.5.2.17 Location of outdoor mechanical ventilation

a. Outdoor heat pump units, or other similar mechanical ventilation units, located at ground level between a street-facing facade and a road boundary shall be screened shall not be located within 3 metres from the boundary between a residential site and a road or shared accessway (including a proposed accessway). by a maximum of 50% visually transparent fencing screening a minimum of 1.2 metres in height above ground level, or the height of the ventilation/heat pump unit, whichever is higher. This rule shall not apply:


- i. to an outdoor mechanical ventilation unit located within 1.5 metres of the road boundary where fencing has been provided along the road boundary that meets Rule 14.5.2.9; or
- ii. where screening is provided in the form of bushes and/or shrubs, either existing or planted at a height of at least 80% of the height of the outdoor mechanical ventilation unit, where those bushes/shrubs are maintained and replaced if diseased or dying; or
- <u>iii.</u> to outdoor mechanical ventilation unit/s installed to service residential units constructed prior to 5 September 2024 where the street-facing façade is at least 4.5 metres from the road boundary.

# 14.5.2.18 Minimum road boundary setback—Qualifying Matter City Spine Transport Corridor

- <u>a.</u> For all properties fronting the City Spine Transport Corridor:
  - <u>i.</u> <u>where the road is 24m or less in width, a minimum building setback from the road boundary of 4m is required; and</u>
  - <u>ii.</u> any fencing provided between the road boundary and the required setback in i. shall have a maximum height of 1m, except that the maximum height shall be 2 metres where the whole fence or screening structure is at least 75% visually transparent; and
  - iii. no required outdoor living space shall be located within 1.5m of the road boundary.

## 14.5.2.19 Building length

a. For new <u>buildings</u> the maximum length of a <u>building</u> elevation shall not exceed 30 metres (see Figure below), measured from the external face of the building.



b. For <u>buildings</u> within a retirement village, rule 14.5.2.19.a shall only apply to <u>buildings</u> within 15 metres of:

- i. an external site boundary; or
- ii. the perimeter of the development site;

of a retirement village.

#### 14.5.2.20 Residential units within the Industrial interface overlay

- a. New residential units and/or extensions to existing residential units with habitable room windows in any part of a building at or above 8 metres in height above ground level, where these windows have line of sight to a site or sites zoned Industrial General, Industrial Heavy, or Industrial Park:
  - i. <u>Habitable rooms that contain these windows shall have mechanical ventilation systems and air conditioning units installed that meet the following specifications when in operation:</u>
    - A. Satisfy clause G4 Ventilation of the New Zealand Building Code, or any amendment to or replacement of that clause, as if the windows and external doors cannot be opened;

      B. Emit noise not exceeding 35 dB LAEq (30s) between 2200-0700 hours when received in bedrooms when measured 1 metre away from any grille or diffuser; and

      C. Emit noise not exceeding 40 dB LAEq (30s) in any other space at any time when measured 1 metre away from any grille or diffuser.
- b. Residential units shall not have balconies located above 8 metres in height above ground level that have line of sight to any site or sites within an Industrial General, Industrial Heavy or Industrial Park.
- c. For the purposes of a. and b. above, line of sight means sites within industrial zones are visible (whether partially obstructed or not) from any position within the habitable space out the window or windows or from any part of the balcony.
- d. The following additional requirements apply to new residential units or additions to existing residential units within the 240m Ravensdown Buffer in Appendix 14.16.12 Ravensdown Buffer:
  - i. Windows in buildings above 8m in height above ground level shall use self-cleaning glazing that has an exterior titanium dioxide coating.
  - ii. Buildings containing residential units shall not exceed 14m in height above ground level.

### 14.5.3 Area -specific rules - Residential Medium Density Residential Zone

a. The following rules apply to the areas specified. All activities are also subject to Rules 14.5.1 and 14.5.2 unless specified otherwise.

### 14.5.3.1 Area- specific activities

#### 14.5.3.1.1 Area -specific permitted activities

- a. The activities listed below are permitted activities if they meet the activity specific standards set out in this table; and the built form standards in Rule 14.5.2 unless specified otherwise in Rule 14.5.3.2.
- b. Activities may also be controlled, restricted discretionary, discretionary, non-complying or prohibited as specified in Rules 14.5.1.2, 14.5.1.3, 14.5.1.4, 14.5.1.5, and 14.5.1.6 (unless specified otherwise in area specific rules); and Rules 14.5.3.1.2, 14.5.3.1.3, 14.5.3.1.4, 14.5.3.1.5 or 14.5.3.1.6.

Activity/area		Activity specific standards		
P1	a. The following activities in the Accommodation and Community Facilities Overlay:  i. Preschools;  ii. Health care facility;  iii. Veterinary care facility;  iv. Education activity;  v. Place of assembly  vi. Spiritual activities;  vii. Community  corrections facilities	<ul> <li>apply.</li> <li>b. The facility or activity shall: <ol> <li>comprise less than 500m² gross leasable floor space; and</li> <li>limit the hours of operation when the site is open to visitors, students, patients, clients, and deliveries to between the hours of 07:00-21:00 Monday to Sunday.</li> </ol> </li> </ul>		
	facilities; ix. Care facility.			
P2	Visitor accommodation in the Accommodation and Community Facilities Overla including ancillary office, meeting and conference facilities, fitness facilities an provision of goods and services primarily for the convenience of guests.	<ul> <li>exceed 25% of the GFA of all <u>buildings</u> on the same site.</li> <li>b. No individual types of ancillary activity shall be more than 250m<sup>2</sup> GLFA.</li> </ul>		
P3	Retirement villages in the Accommodation and Community Facilities Overla	<ul> <li>a. The activity shall achieve the following built form standards as follows:</li> <li>i. 14.5.2.3 Building height</li> <li>ii. 14.5.2.4 Site Building coverage</li> <li>iii. 14.5.2.6 Daylight recession planes Height in relation</li> </ul>		

Activity/area		Activity specific standards		
		<ul> <li>iv. 14.5.2.7 Minimum building setbacks from internal boundaries</li> <li>v. 14.5.2.97.a.i Road boundary Minimum building setbacks</li> <li>vi. 14.5.2.1534 Water supply for fire fighting</li> <li>b. Building façade length – there must be a recess in the façade of a building where it faces a side or rear boundary from the point at which a building exceeds a length of 16 metres. The recess must: <ol> <li>i. be at least 1 metre in depth, for a length of at least 2 metres;</li> </ol> </li> </ul>		
		<ul><li>ii. be for the full <u>height</u> of the wall; and</li><li>iii. include a break in the eave line and roof line of the façade.</li></ul>		
# # # #	Within any Character Area Overlay, the interior conversion of an existing residential unit into two residential units. Advice note: Refer to Rule 14.8.1.1 P18 for the Akaroa and Lyttelton Character Area Overlays.	Nil		
	Minor residential unit in the cyttelton Character Area Overlay or the Lyttelton Residential Heritage Area where the minor unit is a detached building and the existing site it is to be built on contains only one residential unit.	<ul> <li>a. The existing site containing both units shall have a minimum net site area of 450m².</li> <li>b. The minor residential unit shall have a minimum gross floor area of 35m² and a maximum gross floor area of 80m².</li> <li>c. The parking areas of both units shall be accessed from the same access.</li> <li>d. There shall be a total outdoor living space on the existing site (containing both units) with a minimum area of 50m² and a minimum dimension of 5 metres. This total space can be provided as: <ol> <li>i. a single continuous area; or</li> <li>ii. be divided into two separate spaces, provided that each unit has an outdoor living space that is directly accessible from that unit and is a minimum of 20m²</li> </ol> </li> </ul>		

Activity/area		Activity specific standards
		Advice note: P5d. takes precedence over Rule 14.5.2.5.

## 14.5.3.1.2 Area-specific controlled activities

- a. The activities listed below are controlled activities.
- b. Discretion to impose conditions is restricted to the matters over which control is reserved in Rule 14.15, as set out in the following table.

	Location	Controlled activity	The matters over which Council reserves its control:
C1	Character Area Overlay	<ul> <li>a. The relocation of a building onto the site, erection of new buildings and alterations or additions to existing buildings, accessory buildings, fences and walls associated with that development, where it is: <ol> <li>i. visible from the street;</li> <li>ii. located in that part of the site between the</li> </ol> </li> </ul>	a. Character Area Overlay – 14.15.2 <del>3</del> 7
		road boundary and the main residential unit on the site; or	
		iii. involves changes to the front façade of the main residential unit of the site.	
		b. This rule does not apply to:	
		i. fences that are 1 metre in height or less;	
		ii. accessory buildings that are located to the rear of the main residential unit on the site and are less than 5 metres in height;	
	R	iii. fences that are located on a side or rear boundary of the site, except where that boundary is adjacent to a public open space.	
		<ul> <li>a. Other than in the Lyttelton Character Area</li> <li>Overlay, the erection of a new residential unit to the rear of an existing residential unit on the same site, where it is:         <ol> <li>less than 5 metres in height; and</li> </ol> </li> </ul>	
		ii. meets the built form standards applicable to the Character Area Overlay within which it is located.	
		<u>b.</u> c. Additions to existing buildings which:	
		i. are not visible from the street and which do not involve change to the	

Location	Controlled activity	The matters over which Council reserves its control:
	front façade of the main residential unit of the site; and	
	ii. are less than 30m² in area and 5 metres in height; and	
	iii. meet the built form standards applicable to the Character Area within which it is located.	
	c. Any application arising from this rule shall not be limited or publicly notified.	72

# 14.5.3.1.3 Area- specific restricted discretionary activities

- a. The activities listed below are restricted discretionary activities.
- b. Discretion to grant or decline consent and impose conditions is restricted to the matters of discretion set out in Rule 14.15, or as specified, as set out in the following table:

Activity/area		The Council's discretion shall be limited to the following matters:	
RD1	Retail activity with frontage only to public access ways identified in Sumner Master plan Overlay in Appendix 14.16.6	a. Urban design - 15.13.1.a.viii	
RD2	<ul> <li>a. Activities and <u>buildings</u> that do not meet Rule 14.5.3.2.2 road boundary garage and building setback, for <u>sites</u>-with frontage to Bealey Avenue, Fitzgerald Avenue or Deans Avenue (south of Blenheim Road), and within the Sumner Master plan Overlay (Appendix 14.16.6)</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Street scene - road boundary building setback, fencing and planting – Rule 14.15.178	
RD3	<ul> <li>a. Activities that do not meet Rule 14.5.3.2.1 Area specific development plans, Wigram special RNZAF provisions shown in Figure 6.</li> <li>b. Any application arising from this rule shall not be publicly notified, and may be limited notified only to the New Zealand Defence Force (where the consent authority considers this is required, and absent written approval).</li> </ul>	a. Specific setback provisions—Residential Suburban Zone Wigram —Rule 14.15.13	
RD4 <u>3</u>	Development in Areas A, B and C of the Commercial Local Zone / Residential Medium Density Zone in the Commercial Local Zone (St Albans) Outline development plan Chapter 15 Appendix 15.15.5	a. Development plans - Rule 14.15.1 <u>56</u>	

Activity/area		The Council's discretion shall be limited to the following matters:
RD <u>54</u>	Activities that do not meet Rule 14.5.3.2.1 – Area specific development plans, Residential Medium Density Residential Higher Height Limit and Site Density Overlay at Deans Avenue, and Sumner Master plan Overlay (Appendix 14.16.6)	a. Development plans - Rule 14.15.1 <del>5</del> 6
RD6	Residential units in the Character Area Overlay that do not meet Rule 14.5.3.2.7 – Site density Number of residential units per site	a. Character Area Overlay - Rule 14.15.237
RD <mark>7</mark> 5	a. Service stations in the Accommodation and Community Facilities Overlay.	a. Scale and nature of activity – Rule 14.15.56
	b. Any application arising from this rule shall not be limited or publicly notified.	b. Non-residential Hhours of operation – Rule 14.15.245
		c. Traffic generation and access safety – Rule 14.15.67
RD <mark>86</mark>	Activities in the Accommodation and Community Facilities Overlay listed in Rule 14.5.3.1.1 P1 that do not meet one	a. Scale and nature of activity – Rule 14.15.56
	or more of the activity specific standards in Rule 14.5.3.1.1 P1.	b. <u>Non-residential</u> <u>Hh</u> ours of operation – Rule 14.15.24 <u>5</u>
		c. Impacts on neighbouring property – Rule 14.15.3
		d. Traffic generation and access safety – Rule 14.15.67
RD <u>97</u>	<u>a.</u> <u>Buildings</u> in the Accommodation and Community Facilities Overlay, and <del>Residential</del> Medium Density <u>Residential</u> Zone in the Commercial Local Zone (St Albans) Outline development plan area that do not meet Rule 14.5.3.2.3 – Building height	a. Impacts on neighbouring property – Rule 14.15.3
	b. Any application arising from this rule shall not be publicly notified.	
RD <del>10</del> 8	a. <u>Buildings</u> in the Accommodation and Community Facilities Overlay that do not meet Rule 14.5.3.2.4 – Maximum continuous building length.	e. Impacts on neighbouring property – Rule 14.15.3
	b. Any application arising from this rule shall not be limited or publicly notified.	f. Residential design principles – Rule 14.15.1.c only

Activity/	'area	The Council's discretion shall be limited to the following matters:
RD <del>11</del> 9	<ul> <li>a. <u>Buildings</u> in the Accommodation and Community Facilities Overlay that do not meet Rule 14.5.3.2.5 – Front entrances and facades.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	g. Residential design principles – Rule 14.15.1
RD <mark>12<u>10</u></mark>	<ul> <li>a. Activities in the Accommodation and Community Facilities Overlay that do not meet Rule 14.5.3.2.6 – Landscaped areas for select areas.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Street scene – road boundary building setback, fencing and planting – Rule 14.15.178
RD <del>13</del> 11	Ancillary activities to visitor accommodation listed in Rule 14.5.3.1.1 P2 in the Accommodation and Community Facilities Overlay that do not meet one or more of the activity specific standards in Rule 14.5.3.1.1 P2.	<ul> <li>a. Scale of activity - Rule 14.15.5</li> <li>b. Hours of operation - Rule 14.15.245</li> <li>c. Traffic generation and</li> </ul>
	(Plan Change 4 Council Decision subject to appeal)	access safety - Rule 14.15.67  (Plan Change 4 Council Decision subject to appeal)
RD1412	Within a Character Area Overlay:  a. The demolition or removal of a building greater than 306m²-on the site, relocation of a building onto the site, erection of new buildings and alterations or additions to existing buildings, accessory buildings, fences and walls associated with that development.  b. This rule does not apply:  i. where 14.5.3.1.1 P5 or 14.5.3.1.2 C1 applyies.  ii. to fences that meet the applicable built form standard 14.5.3.2.12 for that Character Area;  iii. to accessory buildings that are less than 30m² and located to the rear of the main residential unit on the site and are less than 5 metres in height;  iv. to fences that are located on a side or rear boundary of the site, except where that boundary is adjacent to a public space.;  v. to alterations to existing buildings which are not visible from the street and do not involve changes to the front façade of the main residential unit on the site.  c. Activities that do not meet Built Form standard 14.5.3.2.6.  d. Any application arising from this rule shall not be limited or publicly notified.	a. Character Area Overlay -Rule 14.15.27

Activity/	area	The Council's discretion shall be limited to the following matters:
RD1513	a. Activities that do not meet one or more of the built form standards for Residential Heritage Areas in Rule 14.5.3.2.	a. Matters of Discretion for new buildings and additions to buildings in Residential Heritage Areas—Rule 9.3.6.4
		b. Matters of Discretion for the Character Area Overlay in Rule 14.15.27, where the site is also located in the Character Area Overlay.
		c. Matters of Discretion for the applicable specifically relevant built form standards in Rule 14.15.
RD1614	<ul> <li>a. Buildings that do not meet rule 14.5.3.2.2.d</li> <li>Road boundary garage and building setback.</li> <li>b. Any application arising from this rule shall not be</li> </ul>	<u>a.</u> Impacts on neighbouring property  Rule 14.15.3.a.
	publicly notified.	b. Medium density in suburban precincts—14.15.4342.
RD1715	Buildings that do not meet rule 14.5.3.2.3.b.iv.vi  Height  b. Any application arising from this rule shall not be	<u>a.</u> Impacts on neighbouring property  — Rule 14.15.3.
	publicly notified.	b. Medium density in suburban precincts—14.15.4342.
RD1816	a. Buildings that do not meet 14.5.3.2.9.d Building coverage where the building coverage is between 35-50%.	<u>a.</u> Site density and site coverage—Rule 14.15.2
	b. Any application arising from this rule shall not be publicly notified.	<u>b.</u> Medium density in suburban precincts – 14.15.4342.
RD1917	a. Residential units that do not meet 14.5.2.15—Site density where no greater than 3 units per site and where:	<u>a.</u> Residential Design Principles Rule 14.15.1.
	i. availability of servicing for water supply, and wastewater and stormwater discharge is demonstrated through evidence of consultation with the utility provider; and	<u>b.</u> Medium density in suburban precincts—14.15.4342.

Activity/	'area	The Council's discretion shall be limited to the following matters:
	ii. the development site is located within the Suburban Density precinct and is within 800m EDM walking distance of a public transport stop; or is located within the Suburban Hill Density Precinct and is within 400m EDM walking distance of a public transport stop.  b. Any application arising from this rule shall not be limited or publicly notified.	S
RD2018	Any activity in a Character Area that does not meet one of more of the Built Form standards in 14.5.3.2.	Character Area Overlay Rule 14.15.27
RD2119	Minor residential unit in the Lyttelton Character Area Overlay or Lyttelton Residential Heritage Area where the minor unit is a detached building and does not meet one or more of the activity specific standards in Rule 14.5.3.1.1 P5 a, b, c, d. Advice note: For minor residential units within the Lyttelton Port Influences Overlay refer to area specific Rule 14.8.3.	a. Minor residential units  Rule 14.15.226  b. Character Area Overlay Rule 14.15.27 where relevant.  C. New buildings in Residential Heritage Areas Rule 9.3.6.4 where relevant.
RD2220	<ul> <li>a. Development that does not comply with 14.5.3.2.16 — Maximum impervious surface.</li> <li>b. Any application arising from this rule shall not be publicly notified.</li> </ul>	a. Stormwater from impervious surfaces in residential hill areas 14.15.44

# 14.5.3.1.4 Area- specific discretionary activities

a. The activity listed below is a discretionary activity.

Act	Activity/area		
D1	Retail activity and commercial activity in the Sumner Master plan Overlay that does not have frontage to public access ways identified in the Sumner Master plan Overlay in Appendix 14.16.6		
<u>D2</u>	Development Buildings or residential units that do not meet the standards in 14.5.3.1.3 RD19.		
<del>D3</del>	Development that does not meet one or more of the standards in 14.5.3.2 that relate app to the Riccarton Bush Interface (14.5.3.2.3 b.vii; 14.5.3.2.8 d; 14.5.3.2.9 e; 14.5.3.2.15 b.).		

# 14.5.3.1.5 Area- specific non-complying activities

There are no non-complying activities.

#### 14.5.3.1.6 Area-specific prohibited activities

There are no prohibited activities.

#### 14.5.3.2 Area- specific built form standards

- a. The built form standards in 14.5.2 shall apply to Any development on any site within the Suburban Density Precinct, Suburban Hill Density Precinct, and/or Riccarton Bush Interface Area as well as the built form standards in 14.5.3 that reference these areasthis area. shall be considered under 14.5.2 and associated activity standards, unless otherwise specified within this section and associated activity standards.
- b. Where a site is within a Residential Heritage Area and /or a Character Area, the specific built form standards in 14.5.3 for the Residential Heritage Area and/or Character Area shall apply instead of the built form standard/s for the Suburban Density Precinct or Suburban Hill Density Precinct.
- c. In the event of a conflict between standards in 14.5.2 and 14.5.3, the specific standards in 14.5.3 shall prevail.
- d. Rules under 14.5.3 associated with the Suburban Density Precinct and/or Suburban Hill Density Precinct do not apply when the following conditions are met:
  - i.—Where a site is located within an EDM walking distance of no greater than 800 metres from a bus stop servicing a bus with a frequency of at least 4 buses per hour over the periods of 7 9am and 3 6pm on weekdays.
  - ii. The walking catchment shall be confirmed by Council's Transport Unit on request.
  - iii. This exemption does not apply for any of the following bus routes:
    - A. Any route servicing an area south of the Lyttelton Tunnel (SH74); and
    - B. Any route servicing an area east of the Ferrymead Bridge.

#### 14.5.3.2.1 Area specific development plans

- a. This rule applies to:
  - i. Residential Medium Density Higher Height Limit at Deans Avenue;
  - ii. Residential Medium Density Zone Wigram shown on Figure 6; and
  - iii. Residential Medium Density Zone Medium Density Residential zone in Sumner Master plan Overlay in Appendix 14.16.6.

	Area	Standard
<del>b.</del>	Residential Medium	Sites shall not have access to Deans Avenue other than via
	Density Higher Height Limit	the proposed road to be located between 100 metres and
	and Site Density Overlay at	110 metres from the intersection of Moorhouse and Deans
	<del>Deans Avenue</del>	Avenue. As shown on Appendix 14.16.3-Development plan
		Addington.

	Area	Standard
<del>G.</del>	Residential Medium Density Zone Wigram shown on Figure 6	Residential units shall have their primary outdoor living space facing away from the aerodrome site. Windows to living areas which directly face the RNZAF Bequest Land shall be doubled glazed. In addition, a 2 metre wide landscape strip and a close, solid and continuous 1.8 metre high fence shall be placed along the boundary of the RNZAF Bequest Land and be completed before any residential units are built.
<u><del>d</del>a</u> .	Sumner Master plan Overlay (Appendix 14.16.6)	Retail activities and commercial services shall be located along the identified road frontages in accordance with the Sumner Master plan Overlay (Appendix 14.16.6)




Figure 6: West Wigram Special RNZAF Provisions

## 14.5.3.2.2 Road boundary garage and building setback

- a. <u>a.-c of</u> ‡this rule applies to sites with frontage to Bealey Avenue, Fitzgerald Avenue, or Deans Avenue (south of Blenheim Road), and within the Sumner Master plan Overlay (Appendix 14.16.6).
- b. Rule 14.5.2.97 Read boundary garage and building setback shall not apply on the above sites.

- iii. For sites with frontage to Bealey Avenue, Fitzgerald Avenue, or Deans Avenue (south of Blenheim Road), the road boundary setback shall be 6 metres.
- ii. Sumner Master plan Overlay, shown in Appendix 14.16.6; for retail activities and commercial services with road frontage buildings; buildings shall:
  - A. be built up to the road frontage with buildings occupying all frontage not needed for vehicle access to the rear of the site;
  - B. provide a minimum of 60% and a maximum of 90% visually transparent glazing at the ground floor and a minimum of 20% and a maximum of 90% visually transparent glazing at each floor above the ground floor;
  - C. provide pedestrian access directly from the road boundary; and
  - D. provide veranda or other means of weather protection along the full width of the building where it has frontage to a road.
- c. Sumner Master plan Overlay, shown in Appendix 14.16.6; for retail activity and commercial services with frontage only to public access ways; buildings shall:
  - i. occupy the full public access way frontage of the site;
  - ii. provide a minimum of 60% and a maximum of 90% of visually transparent glazing at the ground floor and a minimum of 20% and a maximum of 90% visually transparent glazing at each floor above the ground floor; and
  - iii. provide pedestrian access directly from the public access way.
- d. Within the Suburban Density Precinct and Suburban Hill Density Precinct the front yard road boundary building setback and garage setback to shared access shall be as follows:

Sub- point	Activity_	Setback Standard
<del>I.</del>	All buildings and situations not listed below	4.5 metres from the road boundary
ii.	Where a garage has a vehicle door that generally faces a road boundary or shared access	5.5 metres from the shared access or road boundary

#### 14.5.3.2.3 Building height

- a. This applies to:
  - Residential Medium Density Residential Zone in the Commercial Local Zone (St Albans)
     Outline development plan shown as Area A in Chapter 15 Appendix 15.15.5; and
  - ii. Accommodation and Community Facilities Overlay-;

- iii. Residential Character Areas;
- iv. Residential Heritage Areas;
- v. Suburban Density Precinct;
- vi. Suburban Hill Density Precinct;
- vii. Riccarton Bush Interface Area.
- b. The maximum height of any building shall be:

	Area	Standard
i.	Residential Medium Density Residential Zone in the Commercial Local Zone (St Albans) Outline development plan shown as Area A in Chapter 15 Appendix 15.15.5 for all buildings	<ul> <li>A. 14 metres</li> <li>B. Rule 14.5.2.3 Building height and maximum number of storeys shall not apply within the above area.</li> </ul>
ii.	Accommodation and Community Facilities Overlay	<ul><li>A. 11 metres, or</li><li>B. 12 metres for that part of the building where a pitched roof of at least 22 degrees is provided.</li></ul>
<del>III.</del>	Heaton, Beverley, and Cashmere Character Areas	A. 78 metres;  B. except that 50% of a building's roof in elevation, measured vertically from the junction between wall and roof, may exceed this height by 2 metres, where the entire roof slopes 15° or more.
iv.	Englefield, Ranfurly, Francis, Malvern, Massey, Severn, Tainui, Ryan, Roker, Cashmere View, Dudley, Beckenham, Therese, Piko, and Evesham/Bewdley Character Areas	<del>56.5 metres</del>
<del>V.</del>	In Residential Heritage Areas the maximum height of any building shall be:  A. In Heaton Street,     Wayside Avenue, RNZAF Station Wigram Staff Housing and Macmillan Avenue Residential Heritage Areas  B. In Church Property     Trustees North St Albans Subdivision (1923) and Piko/Shand (Riccarton Block) State Housing	7 metres, plus 2 metres for roof form  56.5 metres

	Area	Standard
	Residential Heritage Areas  C. In Shelley/Forbes Street and Englefield Avonville Residential Heritage Areas	<del>56.5 metres</del>
	<u>D.</u> In Chester Street  East/Dawson Street and Inner City West  Residential Heritage Areas	11 metres
	<u>E.</u> In Lyttelton Residential Heritage Area	7 metres, except that any accessory building must not exceed 5 metres in height.
<del>Vi.</del>	Within the Suburban Density Precinct and Suburban Hill Density Precinct	8 metres
<del>VII.</del>	Within Riccarton Bush Interface Area, outside of the Accommodation and Community Facilities Overlay	8 metres
<del>∨iii.</del>	Lyttelton Character Area	7 metres, except that any accessory building must not exceed 5 metres in height.

# 14.5.3.2.4 Maximum continuous building length

a. Within the Accommodation and Community Facilities Overlay and in association with the following activities:

		Stand	dards
ì.	Visitor accommodation; and a	A.	For new buildings the maximum length of a building
ii.	Community facility;		elevation shall not exceed 15 metres (see Figure 10)
iii.	Preschool;	B.	For existing buildings any
iv.	Education facility;		addition to the building elevation shall not exceed a
V.	Health care facility;		length of 10 metres
vi.	Place of assembly; and		

vii. Veterinary care facility.	vii.	Veterinary care facility.	
--------------------------------	------	---------------------------	--




Figure 10: Measurement of a building elevation

# 14.5.3.2.5 Front entrances and façades

a. Within the Accommodation and Community Facilities Overlay the following front entrance and façade treatment shall be provided for:

	Buildings associated with:	Standards
i.	Visitor accommodation; and a	A. Pedestrian access shall be directly from the road frontage.
ii.	Community facility;	B. A minimum of 30% glazing on the road frontage on ground floor.
iii.	Preschool;	Toad Horitage on ground hoor.
iv.	Education facility;	

V.	Health care facility;	C. A minimum of 20% glazing on the road frontage on elevations above
vi.	Place of assembly; and	ground level.
vii.	Veterinary care facility.	

- b. Within the Heaton, Beverley, Englefield, Ranfurly, Francis, Malvern, Massey, Severn, Tainui, Ryan, Cashmere View, Dudley, Beckenham, Roker, Piko, and Bewdley Character Areas:
  - i. any residential unit shall be built across a minimum of 60% of the width of an allotment, where it abuts a road boundary.
- c. Within the Cashmere Character Area:
  - i. the minimum dimension of the building frontage to the street, excluding any garage, shall be 8 metres.
- d. Within the Heaton, Beverley, Englefield, Ranfurly, Francis, Malvern, Massey, Severn, Tainui, Ryan, Cashmere View, Dudley, Beckenham, Roker, Piko, Cashmere, Lyttelton, and Bewdley Character Areas:
  - i. the maximum paved access width per site is 3.6 metres, or;
  - ii. 4.8 metres, where it includes a pedestrian access with a minimum width of 1.2 metres.

#### 14.5.3.2.6 Landscaped areas for select areas

- a. Planting shall be provided as follows:
  - Within the Accommodation and Community Facilities Overlay for non-residential activities:
    - A. In areas areas adjoining the road frontage of all sites:
      - a minimum density of 1 tree per every 10 metres of road frontage or part thereof, distributed across the frontage; and
      - II. a minimum 2 metre planted strip.
    - B. On sites adjoining residential and open space zones, trees shall be planted adjacent to the shared boundary at a ratio of at least 1 tree for every 10 metres of the boundary or part thereof, with the trees evenly spaced along that boundary.
  - ii. Within the Character Area Overlay for all activities:

- A. A landscape strip of a minimum width of 2 metres comprising a combination of tree and garden planting shall be planted along the length of the road boundary, excluding that part required for a driveway or pedestrian access.
- A. A residential unit at ground floor level must have a landscaped area of a minimum of 20% of a developed site with tree and garden planting.
- B. A landscaping strip with a minimum width of 2 metres shall be planted along the rear boundary, and shall include trees that will grow to a minimum height of 6–8 metres (except that this shall not apply in the Lyttelton Character Area).

#### C. In addition to A and B above:

- 1. Within the Heaton Character Area, a minimum of 3 specimen trees capable of achieving 8-12 metres in height shall be planted within front setback and a landscaping strip, with a minimum width of 3 metres, shall be planted along the length of the road boundary excluding that part required for a driveway or pedestrian access.
- 2. Within the Beverley and Englefield Character Areas, a landscaping strip, comprising a combination of tree and garden planting, and with a minimum width of 2 metres, shall be planted along the length of the road boundary excluding that part required for a driveway or pedestrian access.
- 3. Within the Ranfurly, Francis, Malvern, Massey, Severn, Tainui, Ryan, Roker, Cashmere View, Dudley, Beckenham, Piko, and Cashmere Character Areas, a landscaping strip, comprising a combination of tree and garden planting, and with a minimum width of 3 metres, shall be planted along the length of the road boundary excluding that part required for a driveway or pedestrian access.
- 4. Within the Lyttelton and Bewdley Character Areas, a landscaping strip of a minimum width of 3 metres, shall be located along the length of the road boundary excluding that part required for a driveway or pedestrian access.

#### 14.5.3.2.7 Site density

a. Within the Character Area Overlay each residential unit shall be contained within its own separate site and the site shall have a minimum net site area as follows:

	Area	Standard
i.	Residential Medium Density Zone within the Character Area Overlay	4 <del>00m²</del>
<del>II.</del>	Character Area Overlay Character Area 8 Beverley	<del>500m²</del>

#### 14.5.3.2.7 Number of residential units per site

- <u>a.</u> Within the Character Area Overlay (excluding Lyttelton), there must be no more than 2 residential units per site.
- <u>b.</u> a. In Residential Heritage Areas (excluding Lyttelton) there must be no more than 2 residential units per site.
- <u>G.</u> Within Character Area Overlay and/or Residential Heritage Area in Lyttelton, each residential unit (excluding residential units established under 14.5.3.1.1 P4 and P5) shall be contained within its own separate site and the site shall have a minimum net site area of 450m<sup>2</sup>.
- <u>d.</u> Within the Character Area Overlay and/or the Residential Heritage Area in Lyttelton, there must be no more than one residential unit plus one minor residential unit per site.

#### 14.5.3.2.8 Setbacks

<u>a.</u> Within Character Area Overlays, buildings must be set back from the relevant boundary by the minimum depth listed in the table below, except as per b. and c below:

	Setback	Area and setback distance
į.	Front	A. Within the Heaton, Ranfurly, Francis, Malvern, Massey,
		Severn, Tainui, Ryan, Roker, Cashmere View, Dudley,
Beck		Beckenham, Therese and Piko Character Areas:
	8	1. 8 metres,
		2. except that where any existing residential unit on
		the site was built prior to 1945 and is to be
		relocated within the site, it can be located 6m from
		the front boundary.
		B. Within the Beckenham Character Area:
		1. 7 metres,
		2. except that where any existing residential unit on
		the site built prior to 1950 and is to be relocated
		within the site, it can be located 6m from the front
		<del>boundary.</del>
		Within the Beverley Character Area:

		3. 3 metres, where the front setback is on the north
		side of the street, or;
		4.—7 metres, where the front setback is on the south
		side of the street.
		C.—Within the Englefield Character Area:
		1. 3 metres, but with a maximum of 5m.
		D. Within the Cashmere Character Area:
		<del>1. 5 metres.</del>
		E. Within the Evesham/Bewdley Character Area:
		1. 6 metres
		F. Within the Lyttelton Character Area:
		1. 3 metres.
		2. except that up to 300mm in width of eaves and
		roof overhangs, and guttering up to 200mm in
		width from the wall of a building may protrude
		into the front setback
<del>ii.</del>	Side	A. Within the Heaton Character Area:
		1. 3 metres.
		B.—Within the Beverley, Ranfurly, Francis, Malvern, Massey,
		Severn, Tainui, Ryan, Cashmere View, Dudley, Beckenham
		and Piko Character Areas:
		1: 2 metres on one side and 3 metres on the other.
		C. Within the Englefield, Beckenham, Bewdley and Roker
		Character Areas:
		1. 1 metre on one side and 3 metres on the other.
		D. Within the Cashmere Character Area:
		1. 3 metres.
		E. Within Lyttelton Character Area:
		1. 1.5 metres on one side and 3 metres on the other.
##-	Rear	A. Within the Heaton, Beverley, Englefield, Ranfurly, Francis,
		Malvern, Massey, Severn, Tainui, Ryan, Cashmere View,
		Dudley, Beckenham, Bewdley, Roker and Piko Character
		Areas
		1 3 motres
		B. Within the Lyttelton Character Area:
		1. 2 metres.
		T. ZHIOTOS.

<del>įŲ.</del>	<u>Accessory</u>	A.—In relation to side and rear boundaries only, where the
	<u>buildings</u>	total length of the accessory building does not exceed
		<u>10m: Nil</u>
<del>∀.</del>	Eaves and roof	A. Up to 300mm in width and guttering up to 200mm in width
	<u>overhangs</u>	from the wall of a building may protrude into the front
		<u>setback</u>

<u>b.</u> Within Residential Heritage Areas, the minimum road boundary building setback shall be:

+-	In Heaton Street, Wayside Avenue, RNZAF Station Wigram Staff Housing, Church Property Trustees North St Albans Subdivision (1923) and Piko/Shand (Riccarton Block) State Housing Residential Heritage Areas	6 metres, where existing house is relocated forward on the site  8 metres, where existing house not retained 8 metres, or 6 metres where existing house or garage is proposed to be relocated forward on the site
<del>ii.</del>	In Shelley/Forbes Street, Englefield Avonville, Chester Street East/Dawson Street, and Inner City West Residential Heritage Areas	Minimum: 3 metres; Maximum: 5 metres.
<del>III.</del>	In Macmillan Avenue Residential Heritage Area	<del>5 metres</del>
<del>i∨.</del>	In Lyttelton Heritage Area	<del>3 metres</del>

<u>c.</u> In Residential Heritage Areas the minimum building setback from internal boundaries shall be:

i,	In Heaton Street, Wayside Avenue and RNZAF	<del>3 metres</del>
	Station Wigram Staff Housing Residential Heritage	
	Areas	
₩.	In Church Property Trustees North St Albans Subdivision (1923) and Piko/Shand (Riccarton Block) State Housing Residential Heritage Areas	
	Side boundary	2 metres and 3 metres

	Rear boundary	<del>3 metres</del>
<del>III.</del>	In Shelley/Forbes Street, Englefield Avonville, and	
	Chester Street East/Dawson, and Inner City West	
	Residential Heritage Areas:	
	<del>Side boundary</del>	1 metre and 3 metres
	Rear boundary	3 metres
<del>i∨.</del>	In Macmillan Avenue Residential Heritage Area	
	<del>Side boundary</del>	3 metres
	Rear boundary	3 metres
₩.	In Lyttelton Residential Heritage Area:	
	Side boundary	1.5 metres on one side and 3
		metres on the other
	Rear boundary	<del>2 metres</del>

d. Within the Riccarton Bush Interface Area, the minimum building setback from internal boundaries shall be:

i.	Front Road boundary	4.5 metres; or
		2 metres for buildings
		located on the following
		sites: Lots 1 & 2 DP 16509,
		Flat 1 & 2 DP 56964 on Lot 2
		DP 10241, Lots 1, 2, 4 DP
		<del>12416; Lots 3 &amp; 4 DP 16509.</del>
<del>ii.</del>	Side Internal boundaries	3.1 metres

# 14.5.3.2.9 Building coverage

- a. In all Character Areas except the Lyttelton, Englefield, and Bewdley Character Areas, the maximum building coverage must not exceed 4035% of the net site area, except that eaves and roof overhangs up to 300mm in width and guttering up to 200mm in width from the wall of a building shall not be included in the site coverage calculation.
- <u>b.</u> Within the Englefield and Bewdley Character Areas, the maximum building coverage must not exceed 35% of the net site area, except that eaves and roof overhangs up to 600mm in width and guttering up to 200mm in width from the wall of a building shall not be included in the site coverage calculation.

<u>c.</u> In Residential Heritage Areas, the maximum percentage of the net site area covered by buildings shall be as follows:

i.	In all Residential Heritage Areas, except the	40%
	Englefield and Lyttelton Residential Heritage Areas	
<del>ii.</del>	In Englefield Residential Heritage Area	35%
<del>III.</del>	In the Lyttelton Residential Heritage Area outside of	<del>50%</del>
	the Lyttelton Character Area	

- <u>d.</u> Within the Suburban Density Precinct and Suburban Hill Density Precinct, the maximum building coverage must not exceed 35% of the net site area.
- e. Within the Riccarton Bush Interface Area, the maximum building coverage must not exceed 35% of the net site area, except for buildings located on the following sites: Lots 1 and 2 DP 16509, Flat 1 and 2 DP 56964 on Lot 2 DP 10241, Lots 1, 2, 4 DP 12416; Lots 3 and 4 DP 16509, where:
  - i. building coverage shall not exceed 50% of the net site area; and
  - ii. for retirement villages, building coverage shall be calculated over the net area of the entire complex or development site, rather than over the net area of any part of the complex.
- <u>f.</u> Within the Lyttelton Character Area, and in the part of the Lyttelton Residential Heritage Area which is also in the Lyttelton Character Area, the maximum percentage of the net site area covered by buildings shall be 60%.
- g. Within the Residential Hills Precinct, the maximum building coverage shall not exceed 45% of the net site area.

#### Advice note:

1. For building coverage in the Lyttelton Character Area Overlay and Lyttelton Residential Heritage Area, refer to Rule 14.8.3.2.4.

#### 14.5.3.2.1210 Outdoor living space per unit

- a. Within the Heaton and Beverley Character Areas:
  - <u>i.</u> a residential unit at ground floor level must have an outdoor living space that is at least 80 square metres at ground floor level and has no dimension less than 7 metres; and
  - <u>ii.</u> a residential unit located above ground floor level must have an outdoor living space in the form of a balcony, patio, or roof terrace, of at least 8 square metres and a minimum dimension of 1.8 metres; and

- iii. any outdoor living space must be:
  - A. accessible from the residential unit;
  - B. located directly adjacent to the unit; and
  - <u>C. be free of buildings, parking spaces, and servicing and manoeuvring areas.</u>
- <u>b.</u> Within the Englefield, Ranfurly, Francis, Malvern, Massey, Severn, Tainui, Ryan, Dudley, Beckenham, Piko, Cashmere, Bewdley and Roker Character Areas:
  - <u>i.</u>— a residential unit at ground floor level must have an outdoor living space that is at least 50 square metres at ground floor level and has no dimension less than 5 metres; and
  - <u>ii.</u> a residential unit located above ground floor level must have an outdoor living space in the form of a balcony, patio, or roof terrace, of at least 8 square metres and a minimum dimension of 1.8 metres; and
  - iii. any outdoor living space must be:
    - A. accessible from the residential unit;
    - B. located directly adjacent to the unit; and
    - C. be free of buildings, parking spaces, and servicing and manoeuvring areas.
- <u>c.</u> In Residential Heritage Areas each residential unit shall be provided with an outdoor living space in a continuous area, contained within the net site area with a minimum area as follows:

<del>i.</del>	In Heaton Street, Wayside Avenue and RNZAF	80m <sup>2</sup>
	Station Wigram Staff Housing Residential Heritage	
	Areas	
<del>ij.</del>	In Church Property Trustees North St Albans	<del>50m²</del>
	Subdivision (1923), Piko/Shand (Riccarton Block)	
	State Housing, Macmillan Avenue, Shelley/Forbes	
	Street, Englefield Avonville, Chester Street	
	East/Dawson Street, Inner City West and Lyttelton	
	Residential Heritage Areas.	

#### 14.5.3.2.12 Windows to street

- <u>a.</u> Within the Heaton, Beverley, Englefield, Piko, and Cashmere Character Areas, any residential unit facing the street must have a minimum of 20% of the street facing façade(s) in transparent glazing, or a combination of transparent glazing and a front door.
- b. Within the Ranfurly, Francis, Malvern, Massey, Severn, Tainui, Ryan, Dudley, Beckenham and Roker Character Areas, any residential unit facing the street must have a minimum of 30% of the street facing façade(s) in transparent glazing, or a combination of transparent glazing and a front door.

- <u>c.</u> Within the Bewdley Character Area, any residential unit facing the street must have a minimum of 40% of the street-facing façade in transparent glazing.
- d. For the purpose of this rule, any area of roofspace that is fully enclosed by a gable shall not be included in the area of the front façade.

#### 14.5.3.2.123 Fencing in character areas

- <u>a.</u> Within the Heaton Character Area, the maximum height of fencing along the front boundary is 1.8 metres.
- <u>b.</u> Within the Boverley, Ranfurly, Francis, Malvern, Massey, Severn, Tainui, Roker, Cashmere View, Dudley, and Beckenham and Therese Character Area, the maximum height of fencing along the front boundary is 1.2 metres.
- <u>c.</u> Within the Ryan Character Area, the maximum height of fencing along the front boundary is 0.8 metres.
- <u>d.</u> Within the Englefield and Piko Character Area, the maximum height of fencing along the front boundary is 1 metres.
- e. Within the Evesham/Bewdley Character Area, the maximum height of fencing along the front boundary is 0.5 metres.
- f. Within the Cashmere Character Area, the maximum height of:
  - i. fencing along the front boundary is 1.2 metres; and
  - ii. any retaining wall along the front boundary is 1.5 metres.
  - iii. And where a fence is proposed on a retaining wall, it must be set back from the front face of the retaining wall by 1.2 metres with the intervening area containing planting.
- g. The maximum height of fencing for all side and rear (internal) boundaries is 2.0 metres.
- h. Any areas used for vehicular parking shall be separated from open space, or adjoining residentially zoned sites by fencing that meets the requirements in a)—f) above.
- i- Within the Lyttelton Character Area, the maximum height of:
  - i. fencing along the front boundary is 1 metre;
  - ii. any retaining wall along the front boundary is 1.5 metres; and
  - iii. and where a fence is proposed on a retaining wall, it must be set back from the front fence of the retaining wall by 1.2 metres with the intervening area containing planting.

Advice Note: Rule 7.4.3.7 - Access design - shall also apply, where applicable.

#### 14.5.3.2.13 Garaging and carport building location in character areas

a. Within the Heaton, Beverley, Englefield, Ranfurly, Francis, Malvern, Massey, Severn, Tainui, Ryan, Cashmere View, Dudley, Beckenham, Roker, Piko, and Bewdley Character Areas, garages and carports (whether detached or not) shall be located:

- i. to the rear of any residential unit; or
- <u>ii.</u> to the side of any residential unit, provided that they are located at least 5 metres behind the front façade of a residential unit.
- <u>b.</u> Within the Cashmere Character Area, a single garage or carport less than 4.5 metres in width may be located within the street setback, where it is:
  - i. located front on to the street;
  - ii. less than 25% of the width of the street frontage; and
  - iii. does not have a driveway or garage located within 2.5 metres.
- <u>c.</u> Within the Lyttelton Character Area Overlay, garages, carports (whether detached or not) and any areas provided for car parking shall be:
  - i. separate to the residential unit;
  - ii. located to the side or rear of the residential unit; and
  - iii. located at least 1.2m behind the front façade of a residential unit, except if a car parking area.

#### 14.5.3.2.14 Internal separation in character areas

- <u>a.</u> Within the Englefield Character Area, except for the conversion of an existing residential unit into two residential units, any residential unit must be separated from any other residential unit on the same site by a minimum of 5 metres.
- <u>b.</u> Within any Character Area, any building on a site that contains 2 detached residential units must be setback by a minimum of 5 metres from the second residential unit or any accessory building associated with that unit.
- c. Any building must be set back from a shared access by a minimum of 1 metre.

#### 14.5.3.2.15 Site density

- <u>a.</u> Within the Suburban Density Precinct and Suburban Hill Density Precinct, each residential unit shall have a minimum net site area of:
  - i. 400m<sup>2</sup> within the Suburban Density Precinct; or
  - ii. 650m<sup>2</sup> within the Suburban Hill Density Precinct.
- b. Within the Riccarton Bush Interface Area:
  - i. Each residential unit shall have a minimum net site area of 450m<sup>2</sup>; and
  - ii. There shall be no more than 2 residential units per development site.
  - iii. There shall be no site density requirement for residential units located on the following sites: Lots 1 and 2 DP 16509, Flat 1 and 2 DP 56964 on Lot 2 DP 10241, Lots 1, 2, 4 DP 12416: Lots 3 and 4 DP 16509.

#### 14.5.3.2.16 Maximum impervious surface

- Within the Suburban Hill Density Precinct and/or the Residential Hills Precinct, any residential development shall either:
  - i. limit the total area of impervious surfaces to a maximum of 45% of a site or development site. For the purpose of this rule:
    - A. Impervious surfaces also include shade tunnel, or green houses, and buildings that have a solid roof; and
    - B. Impervious surfaces exclude open slat decking above uncompacted or unsealed ground, and/or vegetated 'green' roofs.
  - ii. residential development may exceed the total area of impervious surfaces permitted under 14.5.3.2.16.a.i where:
    - A. stormwater is discharged to a stormwater facility where Council has confirmed in writing that the facility has sufficient capacity to mitigate the water quality and quantify effects of the site discharge; or stormwater is discharged into coastal waters;

and

- B. stormwater is conveyed via a network where Council has confirmed in writing that there is sufficient capacity within the stormwater network to convey the site discharges.
- b. Any confirmation in writing supplied by Council in accordance with this standard shall be issued within six months of works commencing.

Advice Note: Impervious surface controls in waterbody setbacks also apply, see Chapter 6.6 Waterbody setbacks.