#### DISTRICT PLAN TEXT AMENDMENTS

KEY:

1. Text Amendments as Notified by Council and included in Proposed Plan Change 14

Text in **bold red underlined** is that from Schedule 3A of the Resource Management Act and must be included.

For the purposes of this plan change any unchanged text is shown as normal text or in bold, any text proposed to be added by the plan change as notified is shown as <u>bold underlined</u> and text to be deleted as <del>bold strikethrough</del>.

Text in green font identifies existing terms defined in *Chapter 2 – Definitions*.

Where the proposed plan change contains a term defined in *Chapter 2 – Definitions*, the term is shown as <u>bold underlined text in green</u> and the wording to be deleted is shown as <u>bold strikethrough in green</u>. New definitions in Chapter 2 and within a provision (including a rule) is shown as <u>bold green text underlined in black</u>.

Text in blue font indicates existing links to other provisions in the District Plan and/or external documents. These will have pop-ups and links, respectively, in the on-line Christchurch District Plan. Where the proposed plan change contains a new link, it is shown as <u>bold underlined text in blue</u>. Where a link is proposed to be deleted, it is shown as <u>bold strikethrough in blue</u>.

2. Changes recommended by the Independent Hearings Panel

The changes recommended by the Independent Hearings Panel are based on Council's 'Reply Provisions' version, which include:

- Text recommended to be added/deleted by proposed PC14
- Text recommended to be added/deleted within s42A reports.
- Text recommended to be added/deleted from expert conferencing/joint witness statements.
- Text recommended to be added/deleted within s42A reports in response to matters raised during Hearings.

Where the Independent Hearings Panel recommends that the proposed PC14 provision be accepted the text is changed to <u>bold underlined</u> for the added text, and changes to <u>bold strikethrough</u> for text to be deleted.

Where the Independent Hearings Panel recommends that green definitions or the blue links to other provisions and/or external documents are accepted they <u>remain</u> unchanged.

Changes recommended by the Independent Hearings Panel (including to proposed PC14 provisions, definitions and links) are shown as <u>bold underlined</u> for text in the Council's 'Reply Provisions' that are recommended to be accepted or for additional new text, and <u>bold deleted</u> for text to be deleted (ie the purple and orange colours in the Council's 'Reply Provisions' have been removed).

- 3. Further Instructions and Explanations for Council
  - a. The Panel findings and evaluations with respect to MRZ and HRZ objectives, policies and standards are that those provisions apply only to our Recommended Pathway B and C. To the extent the

Reply or submissions apply to Pathway A enablements, the Panel has recommend that the changes are rejected, and the Council reverts to the relevant status quo objectives, policies and standards. The Panel recommendation is for Council to consider the 'Three Pathway' approach. Due to the complex nature of 'unpicking' the provisions that would apply to each pathway, the Residential High Density Zone provisions have not been updated with the Panel's recommendations in this regard.

- b. The Residential High Density Zone provisions have been updated with the Panel's other recommendations where it is considered they do not impact on the 'Three Pathway' approach set out in a. above (such as deletion of precincts and qualifying matters, provisions that are more enabling and additions).
- c. There are no further instructions or explanations.

## 14.6 Rules — <u>High Density</u> Residential <del>Central City</del> Zone

#### **14.6.1** Activity status tables

#### 14.6.1.1 Permitted activities

- a. The activities listed below are permitted activities in the <u>High Density</u> Residential <del>Central City</del> Zone if they meet the activity specific standards set out in this table and the built form standards in Rule 14.6.2.
- b. Activities may also be controlled, restricted discretionary, discretionary, non-complying or prohibited as specified in Rules 14.6.1.2, 14.6.1.3. 14.6.1.4, 14.6.1.5 or 14.6.1.6.

Activity		Activity specific standards	
P1	Residential activity	a. No more than one heavy vehicle shall be stored on the site of the residential activity.	
		b. Any motor vehicles and/or boats built, dismantled, repaired or stored on the site of the residential activity shall be owned by people who live on the same site.	
		c. In relation to the building, dismantling, repair or storage of motor vehicles, the vehicles shall be contained in a building, or, if the vehicles are not contained in a building, there shall be no more than three vehicles involved.	
		<ul> <li>d. In relation to the building, dismantling, repair or storage of boats, collectively the boats shall occupy no more than 45m<sup>2</sup>.</li> </ul>	
		e. There shall be no more than 3 residential units per site.	

Activity		Activity specific standards		
P2	(Deleted as part of Plan Change 4 Council decision dated 31 March 2022)			
P <u>3</u> 2	Relocation of a building	Nil		
₽4	Development of Lot 1 DP 475662, for the purposes of residential activities.  If the activity specific standards are met then no other provisions apply.	<ul> <li>a. There shall be not less than 50 residential units and not more than 90 residential units developed on the site.</li> <li>b. The development of these units may proceed in stages of not less than 9 residential units at a time, with the first stage to comprise not less than 10 residential units.</li> <li>c. All residential units shall be completed by 30 June 2020.</li> <li>d. No building shall exceed 15 metres in height.</li> <li>e. The gross floor area of all non residential activities on the site shall not exceed 525m².</li> <li>f. All non-residential activities shall be situated at ground floor.</li> </ul>		
P <del>53</del> 4	Market gardens, community gardens, <b>and</b> garden allotments.	Nil		
P64 5	Repair or rebuild of multi-unit residential complexes damaged by the Canterbury earthquakes of 2010 and 2011 on properties with cross leases, company leases or unit titles as at the date of the earthquakes	<ul> <li>a. Where the repair or rebuild of a building will not alter the footprint of the building, location, or height, the building need not meet the built form standards.</li> <li>b. Where the footprint of the building, location, or height is to be altered no more than necessary in order to comply with legal or regulatory requirements or the advice of a suitably qualified and experienced chartered engineer: <ol> <li>i. the only built form standards that shall apply are those specified in Rules 14.6.2.1 – Building height and 14.6.2.2 – Daylight recession planes Height in relation to boundary;</li> <li>ii. in relation to the road boundary setback, the repaired or rebuilt building shall have a setback of at least 3 metres;</li> <li>iii. the standards at (i) and (ii) shall only apply to the extent that the repaired or rebuilt building increases the level of non-compliance with the standard(s) compared to the building that existed at the time of the earthquakes.</li> </ol> <li>Advice note:</li> <ol> <li>Examples of regulatory or legal requirement that may apply include the New Zealand Building Code, Council</li> </ol> </li></ul>		

Activ	rity	Activity specific standards
		bylaws, easements, and other rules within this Plan such as the requirements for minimum floor levels in Chapter 5.
		c. If paragraphs a. and b. do not apply, the relevant built form standards apply.
		d. Any application arising from not meeting standards a. and b.i. shall not be publicly notified, and may be limited notified to adjoining property owners, (where the consent authority considers this is required, and absent written approval).
		e. Any application arising from not meeting standard b.ii. (road boundary setbacks), shall not be publicly or limited notified.
P <del>75</del>	Care of non-resident children	a. There shall be:
<u>6</u>	within a residential unit in return for monetary payment to the carer	<ul> <li>i. a maximum of four non-resident children being cared for in return for monetary payment to the carer at any one time; and</li> </ul>
		ii. at least one carer residing permanently within the residential_unit.
P <del>86</del> 7	Outside of the Central City Any non-residential activity	a. Only those persons who reside permanently on the site can be employed in the activity.
40m² in i (compris the build building internall	er-home occupation up to 40m² in total area (comprising the floor area of the building or part of the building (measured	b. The maximum total number of hours the site shall be open to visitors, clients or deliveries for the activity shall be 40 hours per week, and shall be limited to between the hours of:
	internally) and any outdoor storage area used for the	i. 0700 – 2100 Monday to Friday, and
	activity) that is otherwise	ii. 0800 – 1900 Saturday, Sunday, and public holidays.
	not provided for under Rule 14.6.1.1 P9 and P10.	c. The maximum number of vehicle movements per site, other than for residential activities, shall be:
		i. heavy vehicles: 2 per week; and
		ii. other vehicles: 16 per day.
		d. Boarding animals on a site shall be limited to a maximum of four animals in the care of a registered veterinarian for medical or surgical purposes only.
		e. Manufacturing, altering, repairing, dismantling or processing of any materials, goods or articles shall be carried out in a fully enclosed building.
		a. The total floor area of the <u>building</u> or part of the <u>building</u> (measured internally), plus any outdoor storage area, occupied by the home occupation shall be no more than 40m <sup>2</sup> .

Activity	Activity specific standards
	b. The maximum number of FTE persons employed in the home occupation, who reside permanently elsewhere than on the site, shall be two.
	c. Any retail activity shall be limited to:
	i. the sale of goods grown or produced on the site;
	ii. goods incidental to an on-site service provided by
	the home occupation where the goods storage and/or
	display occupies no more than 1m <sup>2</sup> of floor area; or
	iii. internet-based sales where no customer visits occur;
	and
	iv. retail activity shall exclude food and beverage outlets
	d. Manufacturing, altering, repairing, dismantling or processing of any materials, goods or articles shall be carried out in a fully enclosed building.
	e. The hours of operation, when the site is open to visitors, clients, and deliveries, shall be limited to between the hours of:
	i. 07:00 - 21:00 Monday to Friday; and
	ii. 08:00 - 19:00 Saturday, Sunday and public holidays.
	f. Visitor, courier vehicles and staff parking areas shall be within the net site area of the property and outside the road boundary setback.
	g. Vehicle movements associated with the home occupation shall not exceed:
	i. heavy vehicles: 2 per week; and
	ii. other vehicles: 16 per day.
	h. Signage shall be limited to a maximum area of 0.5m <sup>2</sup> .
P97 Within the Central City any non-residential activity,	a. Only those persons who reside permanently on the site can be employed in the activity.
home occupation, Any education facility activity, spiritual activity, health care facility, or preschool (other than as provided for in Rule	b. The maximum total number of hours the site shall be open to visitors, clients or deliveries for the activity shall be 40 hours per week, and shall be limited to between the hours of:
14.6.1.1 P <del>75</del> 6) up to 40m <sup>2</sup> in	i. 07:00 – 21:00 Monday to Friday, and
total area (comprising the floor area of the building or	ii. 08:00 – 19:00 Saturday, Sunday, and public holidays.
part of the building (measured internally) and any outdoor storage area used for activities other than	c. The maximum number of vehicle movements per site, other than for residential activities, shall be:
activities offici filali	

Activity		Activity specific standards
	residential activities), except those activities provided for in Rule 14.6.1.1 P109.	<ul> <li>i. heavy vehicles: 2 per week; and</li> <li>ii. other vehicles: 16 per day-; and</li> <li>d. The activity shall not include the storage of more than one heavy vehicle on the site of the activity.</li> <li>In addition, for home occupations and non-residential activities (other than education activity, health care facility or preschool):</li> <li>d. Boarding animals on a site shall be limited to a maximum of four animals in the care of a registered veterinarian for medical or surgical purposes only;</li> <li>e. Manufacturing, altering, repairing, dismantling or processing of any materials, goods or articles shall be carried out in a fully enclosed building.</li> </ul>
P <del>10</del> 9	Within the Central City aAny community facility, preschool (other than as provided for in Rule 14.6.1.1 P786), or visitor accommodation on Fitzgerald Avenue, or Bealey Avenue between Durham Street North and Madras Street.	<ul> <li>a. The maximum total number of hours the site shall be open to visitors, clients or deliveries for the activity shall be 40 hours per week, and shall be limited to between the hours of: <ol> <li>i. 07:00 – 21:00 Monday to Friday, and</li> <li>ii. 08:00 – 19:00 Saturday, Sunday, and public holidays.</li> <li>iii. Except that these hours of operation in Rule 14.6.1.1 P1089 a.i. and a.ii. do not apply to visitor accommodation.</li> </ol> </li> <li>b. The maximum number of vehicle movements per site per day for any activity, other than for residential activities, shall be 200 and: <ol> <li>i. Vehicles, other than heavy vehicles associated with any residential activity on the site, shall be included in determining the number of vehicle movements to and from any site. Vehicles parking on the street or on any other site, in order that their occupants can visit the site, shall also be included in determining the number of vehicles trips to and from any site.</li> </ol> </li></ul>
P <del>11</del> <del>9</del> 10	Fire stations on Lot 1 DP 53863	Nil
P <del>12</del> <del>10</del> <u>11</u>	<ul> <li>a. Activity associated with a retirement village.</li> <li>b. This activity does not include any new building, or alteration or addition to an existing building, for a retirement village (Refer to</li> </ul>	Nil

Activity		Activity specific standards		
	Rule 14.6.1.3 RD4 and RD5).  c. The built form standards in Rule 14.6.2 do not apply to this activity.			
P <del>13</del> <del>11</del> <u>12</u>	Activity associated with a cultural activity at 52 Rolleston Avenue (Lot 2 DP 496200)	<ul> <li>a. The hours the site shall be open to visitors, clients or deliveries for any activity other than residential activities shall be limited to between the hours of:</li> <li>i. 07:00 – 21:00 Monday to Friday, and</li> <li>ii. 08:00 – 19:00 Saturday, Sunday, and public holidays.</li> </ul>		
P <del>14</del> <del>12</del> <u>13</u>	Hosted visitor accommodation	<ul> <li>a. A maximum of eight guests shall be accommodated at any one time.</li> <li>b. The Council shall be notified in writing prior to commencement.</li> <li>c. The owner of the unit shall keep records of the number of nights it is used for hosted visitor accommodation per year from the date Council are notified of commencement, and provide those records to the Council on request.</li> </ul>		
P <del>15</del> 13 14	Visitor accommodation in a heritage item where a permanent resident or manager/ supervisor is in residence on the site for the duration of any visitors' stay	<ul> <li>a. A maximum of 10 guests shall be accommodated at any one time.</li> <li>b. The Council shall be notified in writing prior to commencement.</li> <li>c. The owner of the heritage item shall keep records of the number of nights it is used for visitor accommodation and provide those records to the Council on request.</li> </ul>		
P <del>16</del> 15	Visitor accommodation in a heritage item where a permanent resident or manager/ supervisor is not in residence on the site for the duration of any visitors' stay	<ul> <li>a. A maximum of ten guests shall be accommodated at any one time.</li> <li>b. The number of nights a site is used for visitor accommodation shall not exceed 60 per year calculated from when Council are notified of commencement.</li> <li>c. The Council shall be notified in writing prior to commencement.</li> <li>d. The owner of the heritage item shall; <ol> <li>i. keep records of the number of nights it is used for visitor accommodation and provide those records to the Council on request.</li> <li>ii. provide up-to-date contact information of a local person and/or organisation responsible for managing the property and responding to complaints, to all owners and occupiers of adjoining sites, on</li> </ol> </li></ul>		

Activity	Activity specific standards
	commencement, on request, or annually if not requested; and  iii. ensure guests are provided clear instructions including maps/diagrams/photos/signs for check-in procedures, building access and parking arrangements, constraints on the use of outdoor areas, rubbish and recycling procedures, controls on functions and events, any relevant hazards and safety procedures, prior to arrival, and within the unit.  e. There shall be a maximum of 16 vehicle movements per day associated with visitor accommodation.  f. Guests shall not hold functions or events where the number of additional attendees exceed the number of paying guests between 22.00pm and 07:00am.  g. Guest activities shall meet daytime and night time noise limits in Rule 6.1.5.2.1 and Rule 6.1.5.2.2.
P47 16 Unhosted visitor accommodation	<ul> <li>a. A maximum of eight guests shall be accommodated at any one time.</li> <li>b. The number of nights a site is used for unhosted visitor accommodation shall not exceed 60 per year calculated from when Council are notified of commencement.</li> <li>c. The Council shall be notified in writing prior to commencement.</li> <li>d. The owner of the unit shall: <ol> <li>keep records of the number of nights it is used for unhosted visitor accommodation and provide those records to the Council on request;</li> <li>provide up-to-date contact information of a local person and/or organisation responsible for managing the property and responding to complaints, to all owners and occupiers of adjoining sites, on commencement, on request, or annually if not requested; and</li> <li>ensure guests are provided clear instructions including maps/diagrams/photos/signs for check-in procedures, building access and parking arrangements, constraints on the use of outdoor areas, rubbish and recycling procedures, controls on functions and events, any relevant hazards and safety procedures, prior to arrival, and within the unit.</li> <li>There shall be a maximum of 16 vehicle movements per day associated with unhosted visitor accommodation.</li> <li>Guests shall not hold functions or events where the number of additional attendees exceed the number of paying guests between 22.00pm and 07:00am.</li> <li>Guest activities shall meet daytime and night time noise limits in Rule 6.1.5.2.1 and Rule 6.1.5.2.2.</li> </ol> </li> </ul>

Activity		Ac	Activity specific standards		
<u>P17</u>	Spiritual activities outside the Central City	<u>a.</u>	i. limit the hou	: urs of operation to 07:00-22:00; and the storage of more than one heavy ne site of the activity.	
<u>P18</u>	Education activity outside the Central City	<u>a.</u>	The activity shall:  i. only locate on sit	tes with frontage and the primary	
<u>P19</u>	Preschool outside the Central City	-	entrance to a mino	or arterial road or collector road  ffset, either informal or formal, is	
<u>P20</u>	Health care facility outside the Central City	-	available;	oss floor area of building of less than	
<u>P21</u>	Veterinary care facility outside the Central City	-	200m <sup>2</sup> ; or in the ca 300m <sup>2</sup> ;	ase of a health care facility, less than	
<u>P22</u>	Place of assembly outside the Central City		iv. limit the hours	of operation when the site is open to patients, clients, and deliveries to sof:	
			A. Education activity	I. 07:00 – 21:00 Monday to Saturday; and II. Closed Sunday and public holidays.	
		5	B. Preschools	I. 07:00 – 21:00 Monday to Friday, and II. 07:00 – 13:00 Saturday, Sunday and public holidays.	
			C. Health care facility	<u>I. 07:00 – 21:00.</u>	
			D. Veterinary care facility		
			E. Places of assembly		
			•	eschools, limit outdoor play areas and hat meet Rule 6.1.5.2.1 Table 1:	
				outside the Central City;	
			vi. in relation to pr	eschools, veterinary care facilities and	
			places of assembly		
		A. only locate on sites where any residential activity		on <u>sites</u> where any residential activity	
				g front site, or front site separated	
			<u>by an access, v</u>	vith frontage to the same road is left	

Activity		Activity specific standards		
ACTIV	ILY	with at least one residential neighbour. That neighbour shall be on an adjoining front site, or front site separated by an access, and have frontage to the same road; and B. only locate on residential blocks where there are no more than two non-residential activities already within that block; vii. in relation to veterinary care facilities, limit the boarding of animals on the site to a maximum of four; viii. in relation to places of assembly, entertainment activities shall be closed Sunday and public holidays; and ix. not include the storage of more than one heavy		
		vehicle on the site of the activity.		
<u>P23</u>	Community corrections facilities outside the Central City	a. The facilities shall:  i. limit the hours of operation when the site is open to clients and deliveries to between the hours of 07:00-19:00; and		
<u>P24</u>	Community welfare facilities outside the Central City	ii. limit signage to a maximum area of 2m <sup>2</sup>		
<u>P25</u>	Emergency services facilities outside the Central City	<u>Nil</u>		

# 14.6.1.2 Controlled activities

There are no controlled activities.

Activity The matters over which Council reserves its control:

<u>C31</u>

- a. Communal waste and recycling area that does not comply with Built Form Standard 14.6.2.11.a.i or iii. (in relation to bin storage only).
- b. Any application arising from this rule shall not be publicly notified.
- a. Accessibility to the communal area for the required service vehicle size and type, including the extent of sealed areas required for onsite manoeuvring and effects on safety and onsite amenity;
- <u>b.</u> Scale of service space and size and number of receptacles to support the number of residential units;
- <u>Screening of service area and separation from</u> residential units and outdoor living areas;
- d. Management of odour and vermin; and
- e. Evidence of consultation with the Christchurch City Council Transport and Waste Management Unit about the suitability of the proposed waste management solution.

#### 14.6.1.3 Restricted discretionary activities

- The activities listed below are restricted discretionary activities.
- b. Discretion to grant or decline consent and impose conditions is restricted to the matters of discretion set out in Rule 14.15, as set out in the following table.

Activity		The Council's discretion shall be limited to the following matters:
RD1	<ul> <li>a. Any permitted activity, or a cultural activity at 52 Rolleston Avenue (Lot 2 DP 496200), that does not meet one or more of the built form standards in Rule 14.6.2.</li> <li>b. Any application arising from the following built form standards shall not be limited or publicly notified: <ul> <li>i. Rule 14.6.2.3 Road boundary building</li> <li>ii. Rule 14.6.2.5 Fencing and screening</li> <li>iii. Rule 14.6.2.7 Tree and garden planting</li> <li>iv. Rule 14.6.2.7 Minimum residential unit size</li> <li>v. Rule 14.6.2.8 Ground floor habitable space</li> <li>vi. Rule 14.6.2.9 Outdoor living space</li> <li>vii. Rule 14.6.2.10 Service space</li> </ul> </li> </ul>	<ul> <li>a. As relevant to the built form standard that is not met: <ol> <li>Building height - Rule</li> <li>14.15.273029.</li> <li>Daylight recession planes - Rule 14.15.283130.</li> <li>Street scene and accessways - Rule</li> <li>14.15.293231.</li> <li>Minimum building setbacks from internal boundaries - Rule</li> <li>14.15.3032.</li> <li>Fencing and screening - Rule 14.15.3143.</li> <li>Landscaping and tree planting - Rule 14.15.3254.</li> </ol> </li> </ul>

Activity		The Council's discretion shall be limited to the following matters:
	viii. Rule 14.6.2.11 Minimum site density from development and redevelopment of residential units  eb. Any application arising from Rule 14.6.2.123 shall not be publicly notified and shall be limited notified only to the Fire and EmergencyNew Zealand Fire Service (absent its written approval).	vii. Minimum unit size Rule 14.15.4.  viii. Ground floor habitable space – Rule 14.15.25.  ix. Outdoor living space Rule 14.15.20.  x. Service space – Rule 14.15.26.  xi. Minimum site density from development and redevelopment of residential units – Rule 14.15.34.  xii. vii. Water supply for firefighting – Rule 14.15.78
RD2	<ul> <li>a. Except for retirement villages, aAny activity involving the erection of new buildings and alterations or additions to existing buildings including all accessory buildings, fences and walls associated with that development, that result in:  i. three-four or more residential units; or  ii. one or two residential units on a site smaller than 300m² gross site area Any residential unit that does not meet the garage and carport Rule 14.6.2.14 – Garaging and carparkert building location; or</li> <li>iii. Any residential unit that does not meet Rule 14.6.2.9 – Ground floor habitable room.</li> <li>b. Any application arising from this a.ii or a.iii. of this rule shall not be limited or publicly notified.</li> <li>c. Any application arising from a.i. of this rule shall not be limited or publicly notified where compliant with the following built form standards:  i. 14.6.2.1 – Building height  ii. 14.6.2.2 – Height in relation to boundary</li> </ul>	<ul> <li>a. Urban design in the Residential Central City Zone — Rule 14.15.33</li> <li>a. For RD2 a.i., Residential design principles — Rule 14.15.1</li> <li>b. For RD2 a.ii. and a.iii., residential design principles — Rule 14.15.1 d., g., and h., e., h., and i. only.</li> </ul>

Activity		The Council's discretion shall be limited to the following matters:
	<ul> <li>iii. 14.6.2.3 – Setbacks</li> <li>iv. 14.6.2.4 – Outlook space</li> <li>v. 14.6.2.7 – Landscaped area and tree canopy cover</li> <li>vi. 14.6.2.8 – Windows to street</li> <li>vii. 14.6.2.10 – Outdoor living space</li> <li>viii. 14.6.2.12 – Building coverage</li> </ul>	5
RD3	<ul> <li>a. Cultural activity at 52 Rolleston Avenue (Lot 2 DP 496200).</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Urban Design in the <u>High</u> <u>Density</u> Residential <del>Central City</del> <u>Zzone within the Central City</u> – Rule 14.15.3365
RD4	<ul> <li>a. Any new building, or alteration or addition to an existing building for a retirement_village that meet the following built form standards: <ol> <li>i. Rule 14.6.2.1 Building height</li> <li>ii. Rule 14.6.2.2 Daylight recession planes Height in relation to boundary</li> <li>iii. Rule 14.6.2.3 Road boundary building setback</li> <li>iv-iii. Rule 14.6.2.43 Minimum building setbacks from internal boundaries</li> <li>iv. Rule 14.6.2.123 Water supply for firefighting</li> </ol> </li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Retirement villages – Rule 14.15.9.10
RD5	<ul> <li>a. Any new building, or alteration or addition to an existing building for a retirement village that does not meet one or more of the following built form standards: <ol> <li>i. 14.6.2.1 Building height</li> <li>ii. Rule 14.6.2.2 Daylight recession planes Height in relation to boundary</li> <li>iii. Rule 14.6.2.3 Road boundary building setback</li> <li>lviii. Rule 14.6.2.43 Minimum building setbacks from internal boundaries</li> </ol> </li> </ul>	<ul> <li>a. Retirement villages – Rule 14.15.910</li> <li>And as relevant to the built form standard that is not met: Within the Central City:</li> <li>b. Building height in the High Density Residential zone within the Central City – Rule 14.15.273029</li> <li>c. Daylight recession planes High Density Residential zone within</li> </ul>

firefighting  b. Any application arising from Rule 14.6.2.3 shall not be limited or publicly notified.  c. Any application arising from Rule 14.6.2.123 shall not be publicly notified and shall be limited notified only to the Fire and Emergency New Zealand Fire Service (absent its written approval).  Rule 1  e. Minin from it within 14.15  Outside 1  f. Impact prope C.  g. Height breact h. Street building planti.  Within an City:  fi. Water Rule 1  RD6  a. Hosted visitor accommodation that does not meet activity specific standards in Rule 14.6.1.1 P3413 that does not exceed 12 guests per site at any one time.  b. Any application arising from Rule 14.6.2.3  d. Street the HI zone years years and shall be in the HI zone years y	Council's discretion shall be ted to the following matters:
not meet activity specific standards in Rule 14.6.1.1 P1413 that does not exceed 12 guests per site at any one time.  b. Any application arising from this rule shall not be publicly notified but may be limited notified.  RD7  a. Visitor accommodation in a heritage item that does not meet activity specific standards in Rule 14.6.1.1 P1514 or P1615 that does not exceed 20 guests per site any one time.	the Central City – Rule 14.15.283130  Street scene and access ways in the High Density Residential zone within the Central City – Rule 14.15.293231.  Minimum building setbacks from internal boundaries in the High Density Residential Zone within the Central City – Rule 14.15.3032.  tside the Central City: Impacts on neighbouring property – Rule 14.15.3.a. and C. Height in relation to boundary breaches – Rule 14.15.4  Street scene – road boundary building setback, fencing and planting – Rule 14.15.18  thin and outside the Central
item that does not meet activity specific standards in Rule 14.6.1.1 P1514 or P1615 that does not exceed 20 guests per site any one time.	sted visitor ommodation, visitor ommodation in a heritage m, unhosted visitor ommodation - Rule 14.15. <del>39</del> 40
p. Any application ansing from this full shall –	
not be publicly notified or limited notified.  a. Unhosted visitor accommodation that does not meet activity specific standards in Rule 14.6.1.1 P1716 that does not exceed	

Activity		The Council's discretion shall be limited to the following matters:
	<ul> <li>Any application arising from this rule shall not be publicly notified but may be limited notified.</li> </ul>	I
RD6	a. Any residential activity that does not mee Rule 14.6.1.1.P1.e (number of residential units).	a. Residential urban design principles—Rule 14.15.1
	<ul> <li>b. An application arising from this rule shall not be publicly notified.</li> </ul>	.6
RD79	a. Any building that does not meet rule 14.6.2.1.a – Building height, between 14- 20 metres in height above ground level, when the following standards are met:  i. A ground level communal outdoor living space shall be provided at a ratio of 50m² per 10 residential units. The number of units shall be rounded to the nearest 10, in accordance with the Swedish rounding system. This ratio shall be calculated on the number of residential units on the 4 floor of the building and any subsequent floors above, with the maximum required area being 20% of the site area. Any communal outdoor living space shall have a minimum dimension of no less than 8 metres.  b. Any building exceeding 20 metres in height up to 32 metres in height above ground level (except within the High Density Residential Precinct, Large Local Centre Intensification Precinct, or Town Centre Intensification Precinct, where the following standards are met:  i. The standards in RD7.a.i.;  ii. The building is set back at least 6 metres from all internal boundaries;	
	and iii. The building is set back at least 3 metres from any road boundary.	
<u>RD</u> <u>8</u> 10	a. Any building that does not meet rule 14.6.2.1.b – Building height, over 32 metres in height above ground level.	a. Impacts on neighbouring property – Rule 14.15.3.a, and c.x. A and B only.
	<ul> <li>Any application arising from this rule shall not be publicly notified. building over 20 metres in height above ground level within</li> </ul>	

Activity		The Council's discretion shall be limited to the following matters:
	the High Density Residential Precinct, Large Local Centre Intensification Precinct, or Town Centre Intensification Precinct.	
<u>RD911</u>	<ul> <li>a. <u>Buildings</u> that do not meet Rule 14.6.2.2 – Height in Relation to Boundary</li> <li>b. <u>Any application arising from this rule, for up to three residential units per site shall not be publicly notified.</u></li> </ul>	a. <u>Height in relation to boundary</u> <u>breaches – Rule 14.15.4</u>
<u>RD1012</u>	<ul> <li>a. <u>Buildings</u> that do not meet Rule 14.6.2.3 – <u>Setbacks</u>.</li> <li>b. <u>Any application arising from Rule</u> 14.6.2.3.a.i shall not be limited or publicly notified.</li> <li>c. <u>Any application arising from this rule, for up to three residential units per site shall not be publicly notified.</u></li> </ul>	a. Impacts on neighbouring property – Rule 14.15.3.a
RD1113	<ul> <li>a. <u>Buildings</u> that do not meet Rule 14.6.2.4 – <u>Outlook space.</u></li> <li>b. <u>Any application arising from this rule, for up to three residential units per site shall not be publicly notified.</u></li> </ul>	a. <u>Impacts on neighbouring</u> <u>property – Rule 14.15.3</u>
RD1214	Development that does not meet Rule 14.6.2.6 - Fencing  a. Any application arising from this rule shall not be publicly notified.	a. Residential fencing – Rule 14.15.14
RD1315	<ul> <li>a. Development that does not meet Rule <ul> <li>14.6.2.7 – Landscaped area and tree</li> <li>canopy cover.</li> </ul> </li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Residential landscaping – Rule 14.15.24
RD1416	<ul> <li>a. <u>Buildings</u> that do not meet Rule 14.6.2.10 <ul> <li>Outdoor living space.</li> </ul> </li> <li>b. <u>Any application arising from this rule shall not be limited or publicly notified.</u></li> </ul>	a. Outdoor living space – Rule 14.15.21
<u>RD4517</u>	a. The erection of new residential units and alterations or additions to residential units that do not meet Rule 14.6.2.8 – Windows to street where:  i. The standard only is considered for the alteration or addition to an existing residential unit.	a. Street-facing glazing non- compliance – Rule 14.15.23

Activity		The Council's discretion shall be limited to the following matters:
	b. Any application arising from this rule shall not be limited or publicly notified.	
<u>RD4618</u>	a. Residential units that do not meet Rule 14.6.2.11 a.ii, and a.iii (in relation to washing line area only) and b. – Service, storage and waste management. b. Any application arising from this rule shall not be publicly notified.	a. Service, storage and waste management spaces – Rule 14.15.20
RD17	<ul> <li>a. New buildings, structures or additions greater than 20 metres in height from ground level that do not result in wind conditions that exceed the following cumulative standards (Gust Equivalent Mean) more than 5% annually at ground level, within 100 metres of the site based on modelling:  <ol> <li>i. 4m/s at the any boundary of any site, if that boundary adjoins public open spaces, private outdoor living spaces, and footpath; or</li> <li>ii. 6m/s within any carriageway or car parking areas provided within or outside the site.</li> <li>b. New buildings, structures or additions greater than 20 metres in height that do not result in wind speeds exceeding 15 MUZ wind speeds more than 0.3% annually at ground level.</li> <li>c. The requirement of a. and b. shall be demonstrated by a suitably qualified professional.</li> </ol> </li> </ul>	a. Assessment of wind Rule 14.15.29
<u>RD</u> 1819	<ul> <li>a. Residential units that do not meet Rule 14.6.2.12 – Building coverage.</li> <li>b. Any application arising from this rule, for up to three residential units per site shall not be publicly notified.</li> </ul>	a. Site density and site coverage – Rule 14.15.2
<u>RD1920</u>	<ul> <li><u>a.</u> Buildings that do not meet Rule 14.6.2.5 – Building separation.</li> <li><u>b.</u> Any application arising from this rule shall not be publicly notified.</li> </ul>	a. <u>Height in relation to boundary</u> breaches – <u>Rule 14.15.4</u>

Activity		The Council's discretion shall be limited to the following matters:
		b. The impact on any communal spaces, including access ways.
<u>RD20</u>	<ul> <li>a. Any garage or carport that does not meet the garage and carport Rule 14.6.2.14 Garaging and carport building location; or</li> <li>b. Any habitable room that does not meet Rule 14.6.2.9 Ground floor habitable room.</li> <li>c. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Residential design principles Rules 14.15.1.d and 14.15.1.h
RD21	<ul> <li>a. Activities that do not meet Rule 14.6.2.15 – Location of outdoor mechanical ventilation.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	<ul> <li><u>a.</u> Residential design principles – Rules 14.15.1.d and 14.15.1.</li> <li>a. Street scene – road boundary setback, fencing and planting – Rule 14.15.18 ad.</li> </ul>
RD22	<ul> <li>a. Any residential unit that does not meet the building height Rule 14.6.2.1.bc (except for Rule 14.6.2.1 (d) (within the Industrial Interface Qualifying Matter Area) refer to Rule 14.6.1.4 D7).</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	a. Minimum building height in the High Density Residential Zone – Rule 14.15.4140
RD23	a. Any building that does not meet Rule 14.6.2.17 — Minimum road boundary setback - Qualifying Matter City Spine Transport Corridor	a. Residential design principles Rule 14.15.1.jk
RD24	a. Outside the Central City, activities that do not meet one or more of the activity specific standards in Rule 14.6.1.1 (except for P7 standard d., refer to Rule 14.6.1.4 D2) for:  a. P7 Any education activity, spiritual activity, health care facility, or preschool (other than as provided for in Rule 14.6.1.1 P5 and Rule 14.6.1.4 D1);	a. As relevant to the activity specific standard that is not met:  i. Scale and nature of activity - Rule 14.15.6  ii. Traffic generation and access safety - Rule 14.15.7  iii. Non-residential hours of operation - Rule 14.15.25
	i. P6 Home occupations:  A. that do not meet standard a. and occupy a total area, comprising the floor area of the building or part of the building (measured internally) and any outdoor storage area, no greater than 40% of the GFA of	

Activity		The Council's discretion shall be limited to the following matters:
	the residential unit, with the GFA calculation excluding detached accessory buildings;  B. that do not meet one or more of standards b. to h  ii. P16 Spiritual activities that do not meet the hours of operation in P16 a. i.  iii. P17 Education activities; iv. P18 Preschools, (other than as provided for in Rule 14.6.1.1 P5)  v. P19 Health care facilities; vii. P20 Veterinary care facilities; vii. P22 Community corrections facilities; and viii. P23 Community welfare facilities	
	shall not be limited or publicly notified.	
<u>RD25</u>	<ul> <li><u>a.</u> Buildings that do not comply with 14.6.2.18 – Building length.</li> <li><u>b.</u> Any application arising from these rules shall not be publicly notified.</li> </ul>	a. Residential design principles – Rule 14.15.1.e.f
RD26	a. Residential units that do not meet Rule 14.6.2.19 a. or b. – Residential units within the Industrial interface	a. Industrial interface – Rule 14.15.43
<u>RD27</u>	a. Buildings that do not comply with 14.6.2.20 relating to rail corridor boundary setbacks	a. Whether the reduced setback from the rail corridor will enable buildings to be maintained without requiring access above, over, or on the rail corridor.

#### **Advice Note:**

 Rule 9.3.4.1.3 RD8 (Restricted Discretionary activities) applies to any new <u>building</u> (except <u>buildings</u> of less than 5 m in <u>height</u>) on a <u>site</u> in the High Density Residential Zone which is <u>located outside a Residential Heritage Area but shares a boundary with a site or sites in a</u> <u>Residential Heritage Area.</u>

# 14.6.1.4 Discretionary activities

a. The activities listed below are discretionary activities.

Activ	rity
<del>D1</del>	Development of Lot 1 DP 475662, for the purposes of residential activities as listed in Rule 14.6.1.1 P4 that does not meet any one or more of the activity specific standards.
D <u>21</u>	a. Within the Central City, Aany education facility, spiritual activity, health care facility, or preschool (other than as provided for in Rule 14.6.1.1 P75 and Rule 14.6.1.4 D3) that is over 40m² but less than 201m² in total area (comprising the floor area of the building or part of the building (measured internally) and any outdoor storage area used for activities), other than:
	<ul> <li>i. on a site with frontage to Fitzgerald Avenue, or Bealey Avenue between Durham Street North and Madras Streets; or</li> </ul>
	ii. on a site with frontage to a local road,
	b. provided that the following standards are met:
	<ul> <li>The maximum total number of hours the site shall be open to visitors, clients or deliveries for the activity shall be 40 hours per week, and shall be limited to between the hours of:</li> </ul>
	A. 0700 - 2100 Monday to Friday, and
	B. 0800 - 1900 Saturday, Sunday and public holidays.
D <del>3</del> 2	a. Activities that do not meet any one or more of the activity specific standards in Rule 14.6.1.1 for:
	i. P1 Residential activity (except P1.e, which is considered under RD2)
	ii. P75 Care of non-resident children in a residential unit; or
	iii. Storage of more than one heavy vehicle for activities for P7 P14, P15, P16, P17, and P18.
	iv. P22 Place of assembly outside the Central City;
D4 <u>3</u>	Any other activity that is not listed as a permitted, restricted discretionary, or non-complying.
D <del>5</del> 4	<ul><li>a. Hosted visitor accommodation that exceeds 12 guests per site at any one time.</li><li>b. Any application arising from this rule shall not be publicly notified but may be limited notified.</li></ul>
D <u>65</u>	a. Visitor accommodation in a heritage item that exceeds 20 guests per site at any one
	<ul><li>time.</li><li>b. Any application arising from this rule shall not be publicly notified but may be limited notified.</li></ul>
D <del>7</del> 6	<ul><li>a. Unhosted visitor accommodation that exceeds 12 guests per site at any one time.</li><li>b. Any application arising from this rule shall not be publicly notified but may be limited notified .</li></ul>

## Activity

<del>D7</del>

Any building for a residential activity that does not meet Rule 14.6.2.1 (d)c. Building height within the Industrial Interface Qualifying Matter Area.

# 14.6.1.5 Non-complying activities

a. The activities listed below are non-complying activities.

Activi	ty	
NC1	In the Central City aAny non-residential activity or home occupation not otherwise provided for as a permitted, restricted discretionary, discretionary or non-complying activity with a total area over 40m² (comprising the floor area of the building or part of the building (measured internally) and any outdoor storage area used for that activity).	
NC2	Any activity listed in Rule 14.6.1.1 P867 that does not meet any one or more of the activity standards in Rule 14.6.1.1 P867 aeh.	
NC3	Any activity listed in Rule 14.6.1.1 P978 that does not meet any one or more of the activity standards in Rule 14.6.1.1 P98 aee.	
NC4	Any activity listed in Rule 14.6.1.1 P <del>108</del> 9 that does not meet any one or more of the activity standards in Rule 14.6.1.1 P <del>108</del> 9 ab.	
NC5	Within the Central City city centre, Aany education facility, spiritual activity, health care facility, or preschool (other than as provided for in Rule 14.6.1.1 P756 and Rule 14.6.1.4 D32) with a total area over 40m² (comprising the floor area of the building or part of the building (measured internally) and any outdoor storage area) with frontage to a local road.	
NC6	Within the city centre, Aany education facility, spiritual activity, health care facility, or preschool (other than as provided for in Rule 14.6.1.1 P756 and Rule 14.6.1.4 D32) that exceeds a total area of 200m² (comprising the floor area of the building or part of the building (measured internally) and any outdoor storage area) other than on a site with frontage to Fitzgerald Avenue, or Bealey Avenue between Durham Street North and Madras Streets.	
NC7	Any activity listed in Rule 14.6.1.4 D21 that does not meet any one or more of the standards in Rule 14.6.1.4 D21 b.i. ii.	
NC8	<ul> <li>a. Visitor accommodation (other than as provided for in Rule 14.6.1.1 P<del>1089</del> and 14.6.1.5 NC4): that is not hosted visitor accommodation, unhosted visitor accommodation or visitor accommodation in a heritage item.</li> <li>b. Any application arising from this rule shall not be publicly notified but may be limited notified.</li> </ul>	

#### 14.6.1.6 Prohibited activities

There are no prohibited activities.

NOTE: None of the medium density residential standards (MDRS) are in immediate legal effect as the Council has proposed a sunlight access qualifying matter that applies to all of the medium and high density residential zones (see section &&BA(1)(c)(ii) of the Resource Management Act 1991). They will not be in legal effect until after an IHP hearing and recommendation by the IHP to Council on those rules.

NB: This advice note should be removed prior to the sub-chapter becoming operative.

#### **14.6.2** Built form standards

a. The following built form standards shall be met by all permitted activities and restricted discretionary activities RD2, unless otherwise stated.

#### Advice note:

- 1. There is no spare, or limited, wastewater, storm water, or water supply infrastructure capacity in some areas of Christchurch City which may create difficulties in granting a building consent for some developments. Alternative means of providing for those services may be limited or not available. Compliance with the District Plan does not guarantee that connection to the Council's reticulated infrastructure is available or will be approved. Connection to the Council's reticulated infrastructure requires separate formal approval from the Council. There is a possibility that approval to connect will be declined, or development may trigger the need for infrastructure upgrades or alternative servicing at the developer's cost. Anyone considering development should, at an early stage, seek information on infrastructure capacity from Council's Three Waters Unit. Please contact the Council's Three Waters Unit at WastewaterCapacity@ccc.govt.nz, WaterCapacity@ccc.govt.nz and Stormwater.Approvals@ccc.govt.nz.
- 2. Reference should be made to 6.1A for applicable qualifying matters that may apply further restrictions to development.

# 14.6.2.1 Building height

a. <u>Buildings must not exceed 14 metres in height above ground level.</u> The maximum height of any buildings shall be as shown on the Central City Maximum Building Height planning map, except that the Central City Maximum Building Height planning map does not apply to the following land where a maximum building height of 20 metres shall apply to buildings for a retirement village:

i. Lot 1 DP 77997 CT CB46D/74;

ii. Town Section 118 DP 3780; and

- iii. Town Section 119 DP 3780
- b. Residential units shall not be less than 7 metres in height above ground level.
- c. Buildings for a residential activity within the Industrial Interface Qualifying Matter Area must not exceed 7 metres in height above ground level or two storey, whichever is the lesser.
  - a. Other than where b.v. applies, Buildings must not exceed the following height above ground level:
    - i. 22 14 metres; or
    - <u>ii.</u> 39 metres within the Central City Residential Precinct; or
    - iii. 28-22 metres within the Riccarton Residential Intensification Precinct walkable catchment of the Central City Zone that is not within the Central City Residential Precinct.
  - b. The following standards also apply, except for any Retirement Village:
    - i. For any building exceeding 14 metres in height above ground level:
      - A. any part of the building above 14 metres is set back at least 4 metres from the road boundary.
      - B. A ground level communal outdoor living space shall be provided at a ratio of 50m² per 10 residential units. The number of units shall be rounded to the nearest 10, in accordance with the Swedish rounding system. This ratio shall be calculated on the number of residential units on the 4<sup>th</sup> floor of the building and any subsequent floors above, with the maximum required area being 20% of the site area. Any communal outdoor living space shall have a minimum dimension of no less than 8 metres.
    - ii. For any building between 19-22 metres height above ground level (except in the Central City Residential Precinct or for any Retirement Village):
      - A. That part of the building above 19 metres shall be set back a minimum of 2 metres from the highest part of each façade (including balustrades or similar architectural features) at or below 19 metres; or
      - B. the roof shall have a pitch of less than 45 degrees measured from the external walls of the building (excluding eaves and gutters to a maximum combined width of 650mm per wall);
    - <u>iii.</u> For any building between 36-39 metres within the Central City Residential Precinct (except for any Retirement Village):
      - A. That part of the building above 36 metres in height above ground level shall be set back between 2 and 5 metres from the highest part of each

- façade (including balustrades or similar architectural features) at or below 36 metres in height above ground level; or
- B. the roof shall have a pitch of less than 45 degrees measured from the external walls of the building (excluding eaves and gutters to a maximum combined width of 650mm per wall);
- c. Other than where d. applies, Residential units shall not be less than be a minimum of 7 metres in height above ground level or two storeys (not including mezzanine floors), whichever is lesser, when developing three or more residential units.
- <u>d.</u> Buildings for residential activity within the Industrial Interface Qualifying Matter Area must not exceed 7 8 metres in height above ground level or two storeys, whichever is the lesser.

#### 14.6.2.2 Daylight recession planes-Height in relation to boundary

- a. No part of any building below a height of 12 metres shall project beyond a building envelope constructed by recession planes shown in Appendix 14.16.2 Diagram D from points 3/4.0 metres, or 4m where specified on the diagram, above ground level along all boundaries.

  Where the boundary forms part of a legal right of way, entrance strip, access site, or pedestrian access way, the height in relation to boundary applies from the farthest boundary of that legal right of way, entrance strip, access site, or pedestrian access way.
- b. For any part of a <u>building</u> above 12 metres in <u>height</u>, the recession plane under a. shall apply, unless that part of the <u>building</u> above 12 metres in <u>height</u> is set back from the relevant <u>boundary of a development site</u> as set out below:
  - i. northern boundary: 6 metres;
  - ii. southern boundary: 8 metres; and
  - iii. eastern and western boundaries: 7 metres

where the boundary orientation is as identified in Appendix 14.16.2 Diagram D, in which case there shall be no recession plane requirement for that part of the <u>building above 12</u> metres in <u>height</u>.


#### c. This standard does not apply to—

- i. a boundary with a road:
- ii. existing or proposed internal boundaries within a site:
- iii. <u>site boundaries where there is an existing common wall between 2 buildings on adjacent sites or where a common wall is proposed.</u>
- iv. the construction of three or more residential units to of a maximum of 14 metres in height from above ground level, to any part of a building:

- A. along the first 20 metres of a side boundary measured from the road boundary; or
- B. within 60% of the <u>site</u> depth, measured from the road boundary, whichever is lesser. For corner sites, depth is measured from the internal boundaries, that are perpendicular to the road boundary. See Figure 1, below.

except where the boundary is with a site in a residential zone other than HRZ, or an Open Space zone, where iv. A and B shall not apply.

- a. Buildings shall not project beyond a building envelope constructed by recession planes from points 2.3 metres above internal boundaries with other sites as shown in Appendix 14.16.2C, except that:
  - i. Where an internal boundary of a site abuts an access\_lot, access strip, or access to a rear allotment, the recession plane may be constructed from points 2.3 metres above the furthest boundary of the access lot, access strip, or access to a rear allotment or any combination of these areas;
  - ii. Where buildings on adjoining sites have a common wall along an internal boundary the recession planes shall not apply along that part of the boundary covered by such a wall.
- b. Where the building is located in a Flood Management Area, the exemptions in Rule 5.4.1.3 apply (for activities P1-P4 in Table 5.4.1.1b).
- c. The level of internal boundaries shall be measured from filled ground level except where the site on the other side of the internal boundary is at a lower level, then that lower level shall be adopted.



#### 14.6.2.3 Road boundary building Setbacks

- a. <u>Buildings must be set back from the relevant boundary by the minimum depth listed below:</u>
  - i. Front: 1.5 metres
  - ii. Side: 1 metre
  - iii. Rear: 1 metre (excluded on corner sites)
- b. This standard does not apply to site boundaries;
  - where there is an existing common wall between 2 buildings on adjacent sites or where a common wall is proposed;
  - ii. For side and rear boundary setbacks: for accessory buildings, or garages that internally access a residential unit, where the accessory building or garage is less than 3 metres in height and the total length of the building does not exceed 10.1m; and
  - iii. For front boundary setbacks: where eaves, and roof overhangs, and gutters, up to 300mm in width and guttering up to 200mm from the wall of a building may intrude into the front boundary setback by a maximum of 650mm (combined measurement); and/or a porch with a maximum width of 1.2m may intrude into the front boundary setback by a maximum of 800mm.
- c. For any retirement village, setback standards only apply to the perimeter boundary of the site or development site for the retirement village.
- a. For sites fronting Bealey Avenue, buildings shall be setback a minimum of 6 metres from the road boundary of Bealey Avenue;
- b. In the locations indicated as Central City Building Setbacks, on the Central City Active Frontages and Verandas and Building Setback Planning Map, buildings shall be setback a minimum of 4.5 metres from road boundaries;
- c. In all other instances, buildings shall be setback a minimum of 2 metres from road boundaries, except that:
  - i. Where a garage has a vehicle door facing a road, the garage door shall be setback a minimum of 4.5 metres unless the garage door projects outward, in which case the garage door shall be setback a minimum of 5.5 metres;
  - ii. Where a garage has the vehicle door facing a shared accessway, the garage door shall be setback a minimum of 7 metres measured from the garage door to the furthest formed edge of the adjacent shared access unless the garage door projects outwards, in which case the garage door shall be setback a minimum of 8 metres;
  - iii. For street fronting residential units, garages, carports, and other accessory buildings (excluding basement parking areas and swimming pools) shall be located at least 1.2 metres further from the road boundary than the front facade of any ground level habitable space of that residential unit.

Advice note: Building setback requirements are further controlled by the Building Code. This includes the provision for firefighter access to buildings and egress from buildings. Plan users should refer to the applicable controls within the Building Code to ensure compliance can be achieved at the building consent stage. Issuance of a resource consent does not imply that waivers of Building Code requirements will be considered/granted.

#### 14.6.2.4 Minimum building setbacks from internal boundaries

- a. Buildings that immediately adjoin an access lot, access strip, or access to a rear site shall be setback a minimum of 1 metres from that part of an internal boundary of a site.
- b. Buildings shall be setback a minimum of 1.8 metres from other internal boundaries of a site, except that:
  - i. no setback is required from an access lot or access strip on the same site, provided that any windows on the ground floor facing and within 1 metre of the access lot or access strip are non-opening;
  - ii. no setback for accessory buildings is required, provided the total length of walls or parts of accessory buildings facing and located within the setback is less than 10.1 metres and/or where the accessory building faces the ground floor window of a habitable space on the adjoining site it shall be setback a minimum of 1.8 metres from that neighbouring window for a minimum length of 2 metres either side of the window;
  - iii.—no setback is required along that part of an internal boundary where buildings on adjoining sites have a common wall along the internal boundary;
  - iv. no setback is required for basements, provided that any part of a basement located within 1.8 metres of an internal boundary is wholly below ground level.
- c. Parts of a balcony or any window of a living area at first floor level or above shall not be located within 4 metres of an internal boundary of a site, except that this shall not apply to a window at an angle of 90o or greater to the boundary, or a window or balcony which begins within 1.2 metres of ground level (such as above a garage which is partly below ground level).
- d. For the purposes of this rule this excludes guttering up to 200mm in width from the wall of a building.

## 14.6.2.4 Outlook space

- a. An outlook space must be provided for each <u>residential unit</u> as specified in this clause.
- b. <u>An outlook space must be provided from habitable room windows as shown in the diagram</u> below:




Figure 2: Outlook space

- c. The minimum dimensions for a required outlook space are as follows:
  - i. a principal living room must have an outlook space with a minimum dimension of 4 metres in depth and 4 metres in width; and
  - ii. <u>all other habitable rooms</u> must have an outlook space with a minimum dimension of 1 metre in depth and 1 metre in width.
- d. The width of the outlook space is measured from the centre point of the largest window on the building face to which it applies.
- e. <u>Outlook spaces may be over driveways and footpaths within the site or over a public street or other public open space.</u>
- f. Outlook spaces may overlap where they are on the same wall plane in the case of a multistorey building.
- g. Outlook spaces may be under or over a balcony.
- h. <u>Outlook spaces required from different rooms within the same building may overlap.</u>
- i. Outlook spaces must
  - i. <u>be clear and unobstructed by buildings (excluding any doors or windows opening into an outlook space from the principal living room or habitable room); and</u>
  - ii. not extend over an outlook space or outdoor living space required by another dwelling.

#### 14.6.2.5 Building separation

a. Residential units above 12 metres in height above ground level must be separated from any other residential units above 12 metres in height above ground level on the same development site by at least 10 metres measured horizontally, except where a other than where these buildings are joined by a common wall is included.

#### 14.6.2.6 14.6.2.5 Fencing and screening

- a. Parking areas shall be screened on internal boundaries by landscaping, wall(s), fence(s), or a combination of these to a minimum height of 1.5 metres from any adjoining-site. Where this screening is by way of landscaping it shall be for a minimum depth of 1.5 metres and the minimum height shall be the minimum height at the time of planting;
- b. Other than for screening of the required area of service space or outdoor living space, fences and other screening structures shall not exceed 1 metre in height-where they are located either:
  - i. within 2 metres of the road boundary; or
- e. a. The maximum height above ground level for any fencing shall be:

	Fence location	Fence height standard
<u>i.</u>	road boundary – non-arterial road	50% road boundary width (excluding accessways): 1.58m Remaining road boundary width: 1.0m
<u>ii.</u>	road boundary – arterial road	50% road boundary width (excluding accessways): 1.8m  Remaining road boundary width: 1.0m
iii.	Side, rear, and internal boundary (other than where iv. applies)	<u>2.0m</u>
₩ <u>IV</u> .	On the boundary with any land zoned Open Space Community Parks, Open Space Water and Margins and Avon River Precinct/Te Papa Ōtākaro	1.0m; or 2.0m where the whole fence or screening structure is a minimum of 50% visually transparent.

- b. Any fencing requirements under Rule 14.6.2.11 shall not be in addition to the above standards, unless the required fence height in this rule is less than 1.2m adjacent to the proposed storage area/s.
  - i. <u>1m in height maximum</u> on the boundary with any land zoned Open Space Community Parks Zone, Open Space Water and Margins Zone and Avon River Precinct/Te Papa **Ōtā**karo Zone, except that the maximum height shall be 2 metres if the whole fence or screening structure is at least 50% transparent.
- c. For the purposes of this rule, a fence or other screening structure is not the exterior wall of a building or accessory building.
- d. Any fencing under this rule shall be provided on the site boundary or within the applicable front yard setback from the road boundary.

# 14.6.2.7 14.6.2.6 Tree and garden planting Landscaped area and tree canopy cover

- a. A <u>residential unit</u> at ground floor level must have a landscaped area of a minimum of 20% of a <u>developed site</u> with grass or plants, and can include the canopy of trees regardless of the ground treatment below them.
- b. The landscaped area may be located on any part of the development site, and does not need to be associated with each residential unit.
- c. The 20% landscaped area may be provided as a sum across the <u>site</u>, as long as there is a minimum dimension of 0.6m.

#### Advice note:

- d.1 In addition to these rules, the <u>tree canopy cover</u> and financial contributions requirements in Chapter 6.10A apply to residential development in residential zones resulting in one or more residential units, except where (e d) applies.
- d. For single and/or multi-residential unit developments, a minimum tree canopy cover of 20% of the development site area must be provided in accordance with the Chapter 6.10A rules. The tree canopy cover planting area may be combined with the landscaping area in whole or in part, may be located on any part of the development site, and does not have to be associated with each residential unit.
- e. An additional tree canopy cover equivalent to 15% of the road corridor area must be provided in the road corridor in a new greenfield residential subdivision and/or development, or a brownfield site subject to comprehensive residential development where new roads have been / will be created, as specified in the Chapter 6.10A rules.
- f. Where the tree canopy cover area is not achieved in full or in part through retaining existing trees and/or planting new trees, the remaining tree canopy cover requirement will be subject to the payment of financial contributions in lieu of tree planting, as specified in the Chapter 6.10A rules.
- <u>e.d.ga.</u> For developments not intended for residential activity, Aa minimum of 20% of the site shall be provided for landscaping (which may include private or communal open space in residential developments), where
  - i. at least 50% of the landscaping shall be trees and shrubs, and
  - ii. a minimum of one native tree for every 250m<sup>2</sup> of gross site area (prior to subdivision), or part thereof, is included within the landscaping;
  - iii. b. Aall trees shall be not less than 1.5 metres high at the time of planting;
  - <u>iv.</u> <u>c.</u> <u>Aa</u>ll trees and landscaping required by this rule shall be maintained and if dead, diseased or damaged, shall be replaced.


#### 14.6.2.7 Minimum residential unit size

a. The minimum net floor area (including toilets and bathrooms) for any residential unit (excluding parking areas, garages, or balconies allocated to each unit) shall be:

- i. Studio 35m<sup>2</sup>
- ii.—1 Bedroom 45m<sup>2</sup>
- iii. 2 Bedroom 70m<sup>2</sup>
- iv. 3 or more Bedrooms 90m<sup>2</sup>.

#### 14.6.2.8 Windows to street

- a. Any residential unit facing the street must have a minimum of 20% of the street-facing façade in glazing. This can be in the form of windows or doors.
- b. For the purpose of this rule:
  - i. the area of a single gable facing the street shall not be included in the calculation of the street-facing façade, with the area of the gable, as per Figure 3 below, where the internal ceiling height is measured from the highest room:



<u>Figure 3: How to measure street facing gable Example of different buildings with front gables excluded from calculation</u>

- c. Rule 14.6.2.8 a. and b. shall only apply to the a residential unit(s) with a street-facing façade within 12 metres of:
  - i. <u>a road boundary, and/or;</u>
  - ii. a road designation on the site;

- where there are no other residential units with street-facing façades located between the subject residential unit(s) and the road boundary and/or road designation.
- d. Where units have a hinged front door facing the street with direct access to a residential unit (excluding a garage), the door may be counted toward the glazing requirement under a., up to a maximum of 2m², regardless of whether it is glazed.
- e. <u>Total required glazing for that residential unit may further be reduced to 17.5 15% (inclusive</u> of the door area) provided that the residential unit has:
  - i. a hinged front door facing the street that has direct access to the residential unit (but not where this access is directly to a garage) there is at least 1m² of clear glazing with a sill height of no more than 1.2m above interior floor level from ground floor habitable room/s, in addition to any glazing in the hinged front door; and
  - ii. a ground floor habitable room with a transparent glazed window on the street facing facade with a minimum area of 1m² and a maximum still height of 1.2m (measured from the internal floor level) at least 20% of the ground floor street facing façade of residential units consist of glazing (inclusive of the hinged front door as described above).

#### 14.6.2.89 Ground floor habitable space room

- a. Any residential unit fronting a road or public open space, unless built over an access way or another residential unit, shall have a habitable space located at ground level.
- b. At least 30% of all residential units within a development shall have a habitable space located at ground level.
- c. At least one habitable space located at the ground level of a residential unit shall have a minimum floor area of 12m² and a minimum internal dimension of 3 metres.
- a. Any <u>building</u> containing <u>residential units</u> shall:
  - i. where a <u>residential unit</u> fronts a <u>road or public open space</u>, unless built over another ground floor <u>residential unit</u>, have a <u>habitable room located at ground level with minimum internal dimension of 3 metres</u>. This rule does not apply to any upper-level residential unit that is built over a ground floor residential unit; and
  - ii. have at least 50% of any ground floor area as habitable rooms, except on sites where at least 25% of the building footprint is more than 4 storeys gross floor area of the building is at fifth floor level and above, which shall have at least 30% of any the ground floor area as habitable rooms.

# 14.6.2.<del>9</del>10 Outdoor living space

- a. <u>A residential unit at ground floor level must have an outdoor living space that is at least 20 square metres and that comprises ground floor, balcony, patio, or roof terrace space that,—</u>
  - i. where located at ground level, has no dimension less than 3 metres; and
  - ii. where provided in the form of a balcony, patio, or roof terrace, is at least 8 square metres and has a minimum dimension of 1.8 metres; and

- iii. is accessible from the residential unit; and
- iv. may be
  - A. grouped cumulatively by area in 1 communally accessible location; or
  - B. <u>located directly adjacent to the unit.</u>
- v. <u>is free of buildings, parking spaces, and servicing and manoeuvring areas.</u>
- b. <u>A residential unit located above ground floor level must have an outdoor living space in the form of a balcony, patio, or roof terrace that—</u>
  - i. is at least 8 square metres and has a minimum dimension of 1.8 metres; and
  - ii. is accessible from the residential unit; and
  - iii. may be
    - A. grouped cumulatively by area in 1 communally accessible location, in which case it may be located at ground level; or
    - B. <u>located directly adjacent to the unit.</u>
- c. <u>For residential studio units with an internal floor area exceeding 35m<sup>2</sup>, or single bedroom units with an internal floor area exceeding 45m<sup>2</sup>, the following <u>outdoor living space</u> areas <u>apply:</u></u>
  - i. <u>15m² for residential units</u> on the ground floor, with a minimum dimension of 3 metres; and
  - ii. <u>6m² for residential units</u> above the ground floor, with a minimum dimension of 1.5 metres for of balconies, patios or roof terraces.
- a. Each residential unit shall provide on site an outdoor living space of at least 24m<sup>2</sup>.
- b. The required outdoor living space for each residential unit can be provided through a mix of private and communal areas, at the ground level or in balconies, provided that:
  - i. each residential unit-shall have private outdoor living space of at least 8m² in total, not occupied by parking areas or access;
  - ii. each private outdoor living space dimension shall be a minimum of 4 metres when provided at ground level and a minimum of 1.5 metres when provided by a balcony;
  - iii. at least one private outdoor living space is to be directly accessible from a living area of that residential unit;
  - iv. each outdoor living space provided as a communal space shall be accessible for use by all on site residents and each dimension shall be a minimum of 4 metres;
  - v. 50% of the outdoor living space required across the entire site shall be provided at ground level;
  - vi. any communal space may be located indoors provided its use is explicitly for a recreation activity for the exclusive use of the residents of, and guests to the units on the site.

#### 14.6.2.101 Service space, storage and waste management

- a. Each residential unit shall be provided with at least 3m<sup>2</sup> of indoor or outdoor service space at ground floor level for the dedicated storage of waste and recycling bins.
- b. The required service space for each residential unit shall be provided either individually, or within a dedicated shared communal space, but shall not be located between the road boundary and any habitable space.
- c. Service space for the storage of waste and recycling bins shall be fully screened from any site, road and outdoor living space which adjoins the service space.
- a. For any development resulting in four or more residential units on a development site:
  - i. each residential unit shall have at least 2.25m² of outdoor or indoor space at ground floor level for the dedicated storage of waste and recycling bins. This space shall have with a minimum dimension of 1.2 metres. Where located between a residential unit and the road boundary or access (pedestrian or vehicle) bins shall be screened by a solid fence with a minimum height of 1.2 metres;
  - ii. <u>each ground floor residential unit shall have at least 3m<sup>2</sup> of dedicated outdoor space at ground floor level for washing lines. This space shall have a minimum dimension of 1.5 metres; and</u>
  - iii. the required spaces in i. and/or ii. for each residential unit shall be provided either individually, or within a dedicated shared communal space. Any communal area shall be at least the sum total of the spaces required under (i) and (ii) for serviceable residential units.
- b. <u>Each residential unit</u> shall have covered and secure storage areas, (in addition to storage in kitchens, bathrooms, bedrooms, and the space set aside for car parking in garages (at a dimension of 5.5m deep, 3.1m wide, 2.4m high) with a minimum dimension of 600mm, to a total cumulative volume of:
  - i. 6m³ for one-bed units;
  - ii. 8m³ for two-bedroom units; or
  - iii. 10m³ for three-bedroom units or greater;

with at least 50% of storage provided internal to the unit. The required storage shall be additional to any storage in the kitchen, bathroom/s and/or bedroom/s of the residential unit, and additional to the area dedicated to car parking in any garage which for the purpose of this rule is deemed to be an area 5.5m deep, 3.1m wide and 2.4m high, per garage.

# 14.6.2.112 Minimum site density from development and redevelopment of residential units Building coverage

a. The maximum building coverage must not exceed 50% of the net site area;

- i. Any eaves and roof overhangs up to 300mm in width and guttering up to 26500mm in total cumulative width from the wall of a building shall not be included in the building coverage calculation.
- ii. <u>In addition to 14.6.2.12.a.i, a total site building coverage of up to 60% if of the net site area is permitted when the following is are met:</u>
  - A. <u>except where required under Chapter 7, where no on-site vehicle parking is provided;</u>
  - B. <u>a ground level communal outdoor living space shall be</u> is provided, with an area <u>of to a scale of 10% of the development site area, with a minimum dimension of 8 metres;</u>
  - C. <u>a the minimum development site dimension of is 25m is achieved; and</u>
  - D. <u>at least 50% of the landscaping provided in compliance with 14.6.2.7 shall be shrubs.</u>
- a. The minimum residential site density to be achieved when a site is developed or redeveloped with a residential unit or units shall be not less than one residential unit for every complete 200m² of site area (e.g. a site area of 399m² requires 1 residential unit, a site area of 400m² requires 2 residential units).

# 14.6.2.1<u>23</u> Water supply for firefighting

- a. Provision for sufficient water supply and access to water supplies for firefighting shall be made available to all buildings (excluding accessory buildings that are not habitable buildings) via Council's urban reticulated system (where available) in accordance with the New Zealand Fire Service Firefighting Water Supplies Code of Practice (SNZ PAS 4509:2008).
- b. Where a reticulated water supply compliant with SNZ PAS:4509:2008 is not available, water supply and access to water supplies for fire fighting that is in compliance with the alternative firefighting water sources provisions of SNZ PAS 4509:2008 must be provided.

# 14.6.2.14 Garaging and carpark location

- a. When developing four or more residential units on a single site, any detached garage or carport on a front site shall be located behind the rear façade of a residential unit.
- a. <u>For residential units fronting roads; garages, carports, loading bays and car parking areas shall be located at least 1.2 metres further from the road boundary than the street-facing façade of that residential unit.</u>

#### 14.6.2.15 Location of outdoor mechanical ventilation

a. <u>Outdoor heat pump units, or other similar mechanical ventilation units, located at ground level between a street-facing façade and a road boundary shall be screened shall not be located within 3 metres from the boundary between a residential site and a road or shared</u>

<u>accessway (including a proposed accessway)</u>. by <u>up to a maximum of 50% visually transparent fencing a minimum of 1.2 metres in height above ground level, or the height of ventilation/heat pump unit, (whverwhichever is the higher). This rule shall not apply:</u>

- <u>i.</u> to an outdoor mechanical ventilation unit located within 1.5 metres of the road boundary where fencing has been provided along the road boundary that meets Rule 14.5.2.9; or
- <u>ii.</u> where screening is provided in the form of bushes and/or shrubs, either existing or planted at a height of at least 80% of the height of the outdoor mechanical ventilation unit, where those bushes/shrubs are maintained and replaced if diseased or dying; or
- iii. to outdoor mechanical ventilation unit/s installed to service residential units constructed prior to 5 September 2024 where the street-facing façade is at least 4.5 metres from the road boundary.

#### 14.6.2.16 Minimum unit size


- a. The minimum net floor area for any residential unit shall be:
  - i. Studio 35m<sup>2</sup>
  - ii. <u>1 Bedroom 45m²</u>
  - iii. 2 Bedroom 60m²
  - iv. 3 or more Bedrooms 90m<sup>2</sup>.

## 14.6.2.17 Minimum road boundary setback - Qualifying Matter City Spine Transport Corridor

- a. For all properties fronting the City Spine Transport Corridor:
  - <u>i.</u> where the road is 24m or less in width, a minimum <u>building</u> setback from the road <u>boundary of 4m is required; and</u>
  - <u>ii.</u> any fencing provided along the road boundary shall not exceed 1m in maximum height above ground level maximum, except that the maximum height shall be 2 metres if the whole fence or screening structure is at least 75% transparent; and
  - iii.—any outdoor living space must not be located within 1.5m of the road boundary.

#### 14.6.2.18 Building length

<u>a.</u> For new buildings the maximum length of a building elevation shall not exceed 30 metres (see Figure 4 below), measured from the external face of the building.





#### 14.6.2.19 Residential units within the Industrial interface overlay

- a. New <u>residential units</u> and/or extensions to existing <u>residential units</u> with <u>habitable room</u> windows in any part of a <u>building</u> at or above 8 metres in <u>height</u> above <u>ground level</u>, where these windows have line of sight to a <u>site</u> or <u>sites</u> zoned Industrial General, Industrial Heavy, or Industrial Park:
  - <u>i.</u> <u>Habitable rooms</u> that contain these windows shall have mechanical ventilation systems and air conditioning units installed that meet the following specifications when in operation:
    - A. Satisfy clause G4 Ventilation of the New Zealand Building Code, or any amendment to or replacement of that clause, as if the windows and external doors cannot be opened;
    - B. Emit noise not exceeding 35 dB LAEq (30s) between 2200-0700 hours when received in bedrooms when measured 1 metre away from any grille or diffuser; and
    - C. Emit noise not exceeding 40 dB LAEq (30s) in any other space at any time when measured 1 metre away from any grille or diffuser.
- b. <u>Residential units</u> shall not have balconies located above 8 metres in <u>height</u> above <u>ground level</u> that have line of sight to any <u>site</u> or <u>sites</u> within an Industrial General, Industrial Heavy or Industrial Park.
- c. For the purposes of a. and b. above, line of sight means <u>sites</u> within industrial zones are visible (whether partially obstructed or not) from any position within the habitable space out the window or windows or from any part of the balcony.

#### 14.6.2.20 Minimum building setbacks from railway lines

All buildings, balconies and decks on sites adjacent to or abutting a designated rail corridor shall be setback 4 metres from the rail corridor boundary.

## 14.6.3 Area-specific rules - High Density Residential Zone

<u>a.</u> The following rules apply to the areas specified. All activities are also subject to Rules 14.6.1 and 14.6.2 unless specified otherwise.

## 14.6.3.1 Area-specific activities

#### 14.6.3.1.1 Area-specific permitted activities

- a. The activities listed below are permitted activities if they meet the activity specific standards set out in this table; and the built form standards in Rule 14.6.2 unless specified otherwise in Rule 14.6.3.2.
- b. Activities may also be controlled, restricted discretionary, discretionary, non-complying or prohibited as specified in Rules 14.6.1.2, 14.6.1.3, 14.6.1.4, 14.6.1.5, and 14.6.1.6 (unless specified otherwise in area specific rules); and Rules 14.6.3.1.2, 14.6.3.1.3, 14.6.3.1.4, 14.6.3.1.5 or 14.6.3.1.6.

Activ	ity/area	Activity specific standards
<u>P1</u>	a. The following activities in the Accommodation and Community Facilities Overlay:  i. Preschools;  ii. Health care facility;  iii. Veterinary care facility;  iv. Education activity;  v. Place of assembly;  vi. Spiritual activities;  vii. Community correction facilities;  viii. Care facility.	<ul> <li>a. The activity specific standards in Rule 14.6.1.1 do not apply.</li> <li>b. The facility or activity shall: <ol> <li>comprise less than 500m² gross leasable floor space; and</li> <li>limit the hours of operation when the site is open to visitors, students, clients, and deliveries to between the hours of 07:00-21:00 Monday to Sunday.</li> </ol> </li> </ul>
<u>P2</u>	a. Visitor accommodation in the Accommodation and Community Facilities Overlay including ancillary office, meeting and conference facilities, fitness facilities and provision of goods and services primarily for the convenience of guests.	<ul> <li>a. The maximum size of all ancillary activities shall not exceed 25% of the GFA of all</li> <li>b. s on the same site.</li> <li>c. No individual types of ancillary activity shall be more than 250m² GLFA.</li> </ul>
<u>P3</u>	a. Retirement villages in the Accommodation and Community Facilities Overlay	a. The activity shall achieve the following built form standards as follows:  i. 14.6.2.1 Building height  ii. 14.6.2.2 Height in relation to boundary  iii. 14.6.2.3 Setbacks  iv. 14.6.2.12 Building coverage  v. 14.6.2.13 Water supply for firefighting

Activity/area	Activity specific standards
	<ul> <li>b. Building façade length – there must be a recess in the façade of a building where it faces a side or rear boundary from the point at which a building exceeds a length of 16 metres. The recess must:  <ol> <li>be at least 1 metre in depth, for a length of at least 2 metres;</li> <li>be for the full height of the wall; and</li> </ol> </li> </ul>
	iii. include a break in the eave line and roof line of the façade.

#### 14.6.3.1.2 Area-specific controlled activities

There are no area-specific controlled activities.

## 14.6.3.1.3 Area-specific restricted discretionary activities

- a. The activities listed below are restricted discretionary activities.
- <u>b.</u> <u>Discretion to grant or decline consent and impose conditions is restricted to the matters of discretion set out in Rule 14.15, or as specified, as set out in the following table:</u>

Activity		The Council's discretion shall be limited to the following matters:
RD1	<ul> <li>a. Service stations in the Accommodation and Community Facilities Overlay.</li> <li>b. Any application arising from this rule shall not be limited or publicly notified.</li> </ul>	<ul> <li>a. Scale and nature of activity – Rule 14.15.6</li> <li>b. Non-residential hours of operation – Rule 14.15.25</li> </ul>
RD2	a. Ancillary activities to visitor accommodation listed in Rule 14.6.3.1.1 P2 in the Accommodation and Community Facilities  Overlay that do not meet one or more of the activity specific standards in Rule 14.6.3.1.1  P2.	c. Traffic generation and access safety – Rule 14.15.7

#### 14.6.3.1.4 Area-specific discretionary activities

There are no area-specific discretionary activities.

#### 14.6.3.1.5 Area-specific non-complying activities

There are no area-specific non-complying activities.

#### 14.6.3.1.6 Area-specific prohibited activities

There are no area-specific prohibited activities.

## 14.6.3.2 Area-specific built form standards

#### 14.6.3.2.1 Building height

- <u>a.</u> This applies to Accommodation and Community Facilities Overlay.
- b. The maximum height of any building shall be:
  - i. 11 metres, or
  - ii. 12 metres for that part of the <u>building</u> where a pitched roof of at least 22 degrees is provided.

#### 14.6.3.2.2 Maximum continuous building length

<u>a.</u> Within the Accommodation and Community Facilities Overlay and in association with the following activities:

		<u>Star</u>	<u>ndards</u>
<u>i.</u>	Visitor accommodation; and a		For new buildings the maximum length of a building
<u>ii.</u>	Community facility;		elevation shall not exceed 15 metres (see Figure 5 For existing buildings any addition to the building
<u>iii.</u>	<u>Preschool;</u>	elevation shall not exceed a length of 10 metres.	elevation shall not exceed a length of 10 metres.
<u>iv.</u>	Education facility;		
<u>V.</u>	Health care facility;		
<u>vi.</u>	Place of assembly; and		
<u>vii.</u>	Veterinary care facility.		




Figure 5: Measurement of a building elevation.

#### 14.6.3.2.3 Front entrances and facades

a. <u>Within the Accommodation and Community Facilities Overlay the following front entrance and façade treatment shall be provided for:</u>

	Buildings associated with:	<u>Standards</u>
<u>i.</u>	Visitor accommodation; and a	a. Pedestrian access shall be directly from the road
<u>ii.</u>	Community facility;	<ul><li><u>frontage.</u></li><li>b. A minimum of 30% glazing on the road frontage on</li></ul>
<u>iii.</u>	Preschool;	ground floor.
iv.	Education facility;	c. <u>A minimum of 20% glazing on the road frontage on</u> elevations above ground level.
<u>V.</u>	Health care facility:	
<u>vi.</u>	Place of assembly; and	
<u>vii.</u>	Veterinary care facility.	

## 14.6.3.2.4 Landscaped areas

- <u>a.</u> Planting shall be provided as follows:
  - <u>i.</u> Within the Accommodation and Community Facilities Overlay for non-residential activities:
    - A. <u>In areas adjoining the road frontage of all sites:</u>
      - <u>I.</u> A minimum density of 1 tree per every 10 metres of road frontage or part thereof, distributed across the frontage; and
      - II. A minimum 2 metre planted strip.

B. On <u>sites</u> adjoining residential and open space zones, trees shall be planted adjacent to the shared boundary at a ratio of at least 1 tree for every 10 metres of the boundary or part thereof, with the trees evenly spaced along that boundary.

